Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

DECK LOG-TITLE PAGE
NAVPERS 716 (Rev. 4-56)

DECK LOG BOOK

OF THE

U.S.S. ABNAKI (A

ATF-96
IDENTIFICATION NUMBER

COMMANDED BY

Calvin C. REED, Lieutenant, U.S.N.

Attached to { ____ Division, ____ Squadron, ____ Flotilla, U.S. PACIFIC Fleet, ____ Naval District,

Commencing 0001 1 October, 1962,
(zone time and date)

at PEARL HARBOR, HAWAII,
(location)

and ending 2400 31 October, 1962,
(zone time and date)

at PEARL HARBOR, HAWAII
(location)

TO BE FORWARDED DIRECT TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

NAVY—PEARL HARBOR, T. H.

Digital Surrogate of NARA Original Record - NND 927605

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP _____ _____ (Day) _____ (Date) _____ (Month), 19____

APPROVED:

_____ U.S.N. COMMANDING

EXAMINED:

_____ U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 1 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	3	6	SCT	29.96	78	73	2	1750	CU			
02	070	2	6	SCT	29.96	78	73	2	1750	CU			
03	070	1	6	SCT	29.97	77	73	3	1400	CU			
04	070	1	6	SCT	29.97	77	74	4	1050	CU			
05	070	1	6	SCT	29.97	78	74	4	1400	CU			
06	070	2	6	SCT	29.98	79	74	5	1750	CU			
07	065	2	7	SCT	29.98	81	75	5	2100	CU			
08	065	4	7	SCT	29.99	81	77	5	1400	CU			
09	065	5	7	SCT	29.99	81	78	4	1050	CU			
10	070	5	7	SCT	29.98	80	79	4	1050	CU			
11	070	8	7	SCT	29.98	80	79	4	1050	CU			
12	070	11	7	SCT	29.97	83	77	4	2100	CU			
13	070	13	7	SCT	29.96	85	75	3	3500	CU			
14	070	10	7	SCT	29.96	85	75	3	3500	CU			
15	070	8	7	SCT	29.97	85	75	3	3500	CU			
16	065	7	7	SCT	29.98	86	76	3	3500	CU			
17	065	7	7	SCT	29.99	83	76	4	2450	CU			
18	070	7	7	SCT	29.99	81	75	4	2100	CU			
19	070	5	7	SCT	29.99	79	74	4	1750	CU			
20	070	3	7	SCT	29.98	78	73	3	1750	CU			
21	070	3	6	SCT	29.99	77	73	3	1400	CU			
22	070	3	6	SCT	29.99	76	73	2	1400	CU			
23	070	2	6	SCT	29.99	76	73	2	1400	CU			
24	070	2	6	SCT	29.99	76	73	2	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD TO BERTH BRAVO EIGHT PEARL HARBOR, NAVAL SHIP YARD. WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRICIAL POWER AND TELEPHONE SERVICE FROM THE PIER. CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Horton
Ensign USN

04-08 MOORED AS BEFORE. 0735 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

J E Horton
Ensign USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 1 (Date) OCTOBER (Month), 62

ØØ-12: MOORED AS BEFORE. 1ØZ1 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W. K. Swan, ENS, USNR

12-16: MOORED AS BEFORE.

W. K. Swan, ENS, USNR

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE.
1816: MUSTERED THE DUTY RESCUE AND ASSISTANCE DETAIL.

W. K. Swan, ENS, USNR

2Ø-24: MOORED AS BEFORE.

W. K. Swan, ENS, USNR.

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABUKIR (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 2 OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	2	6	SCT	29.99	76	72	2	1400	CU			
02	070	2	6	SCT	29.99	76	72	2	1400	CU			
03	070	3	6	SCT	29.99	75	72	2	1050	CU			
04	070	4	6	SCT	29.98	75	71	3	1400	CU			
05	070	4	6	SCT	29.98	75	71	4	1400	CU			
06	070	6	6	SCT	29.98	74	71	5	1050	CU			
07	070	5	7	BKN	29.98	76	71	6	1750	CU			
08	070	8	7	BKN	29.98	80	71	7	3150	CU			
09	070	10	7	BKN	30.00	82	72	6	3500	CU			
10	070	11	7	SCT	30.00	82	72	5	3500	CU			
11	070	9	7	SCT	29.99	82	73	5	3150	CU			
12	070	9	7	SCT	29.99	82	73	4	3150	CU			
13	070	9	7	SCT	29.98	82	73	3	3150	CU			
14	075	11	7	SCT	29.97	81	74	3	2450	CU			
15	075	10	7	SCT	29.97	81	74	3	2450	CU			
16	075	10	7	SCT	29.97	80	73	3	2450	CU			
17	070	8	7	SCT	29.97	80	73	3	2450	CU			
18	070	7	7	SCT	29.97	79	72	3	2450	CU			
19	070	7	7	SCT	29.97	79	72	2	2450	CU			
20	070	5	7	SCT	29.97	78	72	2	2100	CU			
21	070	5	6	SCT	29.97	77	72	2	1750	CU			
22	070	4	6	SCT	29.98	76	71	2	1750	CU			
23	070	4	6	SCT	29.98	76	71	2	1750	CU			
24	070	4	6	SCT	29.98	76	71	2	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED ~~AS BEFORE~~ AS STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER AND TELEPHONE SERVICES FROM THE PIER. CONDITION YOKE SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

[signature], ENS, USNR

04-08: MOORED AS BEFORE. 0730 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

[signature], ENS, USNR

APPROVED: C C Reed LT U.S.N. COMMANDING

EXAMINED: R. L. Walker U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 2 (Date) OCTOBER (Month) 1962

08-12 Moored as before. 0930 Made daily inspection of magazine and smokeless powder samples; Condition normal.

J.E. Hoffey CWO USN.

12-16. Moored as before

J.E. Hoffey CWO USN.

16-20 Moored as before. 1800 Set material Condition "Yoke" 1805, Held fire drill in Laundry Room. 1815 Secured from fire drill.

J.E. Hoffey CWO USN.

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 3 (Date) OCTOBER (Month), 19 62

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	2	6	Set	29.98	75	72	3	1050	CU			
02	070	2	6	Set	29.98	75	72	3	1050	CU			
03	070	2	6	Set	29.98	76	72	3	1400	CU			
04	070	1	6	Set	29.98	76	72	3	1400	CU			
05	070	1	6	Set	29.98	77	72	4	1750	CU			
06	070	3	7	Set	29.97	79	73	4	2100	CU			
07	065	4	7	Set	29.97	81	73	5	2800	CU			
08	065	4	7	Set	29.96	84	73	5	3850	CU			
09	065	5	7	Set	29.97	81	73	5	2800	CU			
10	065	9	7	Set	29.97	81	74	4	2450	CU			
11	070	11	7	Set	29.98	83	74	4	2800	CU			
12	070	10	7	Set	29.98	83	74	4	3150	CU			
13	070	9	7	Set	29.97	84	74	4	3500	CU			
14	070	13	7	Set	29.96	85	75	3	3500	CU			
15	070	11	7	Set	29.96	86	76	3	3500	CU			
16	070	12	7	Set	29.96	86	76	3	3500	CU			
17	070	9	7	Set	29.96	84	76	3	2800	CU			
18	070	8	7	Set	29.96	82	75	3	2450	CU			
19	065	8	7	Set	29.97	80	75	3	1750	CU			
20	065	5	6	Set	29.99	78	74	2	1400	CU			
21	065	4	6	Set	29.97	77	73	2	1400	CU			
22	065	3	6	Set	29.97	77	73	3	1400	CU			
23	060	3	6	Set	29.97	77	73	3	1400	CU			
24	060	2	6	Set	29.97	77	73	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to Berth B-8 Pearl Harbor Naval Ship Yard with standard mooring lines doubled up. Material Condition Yoke set Receiving the following service from the yard. Electrical Power, Shoping water, steam and telephone service. Ship present includes ships and units of the U.S. Pacific Fleet afloat and district craft. C.O.P.A. is Commander in Chief U.S. Pacific Fleet

J.E. Hoffey CWO U.S.N.

04-08 Moored as before. 0730 Mustered the Crew on station; absentees none.

J.E. Hoffey CWO USN.

APPROVED: C.C. Beed Jr. U.S.N. COMMANDING

EXAMINED: R.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Wednesday (Day) 3 (Date) October (Month), 19 62

0800-1200 Moored as before. 0845 made daily inspection of magazines and smokeless powder samples; Condition: normal.

R. L. Walker
LTJG USN

1200-1600 Moored as before.

R. L. Walker
LTJG USN

1600-2000 Moored as before. 1800 Set Condition Yoke throughout the ship.

R. L. Walker
LTJG USN

2000-2400 Moored as before.

R. L. Walker
LTJG USN

APPROVED:

P C Reed Lt U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS HORNET (CV-12) ZONE DESCRIPTION +10 DATE THURSDAY (Day) 4 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	060	3	6	SCT	29.97	77	74	3	1050	CU			
02	060	3	6	SCT	29.97	76	73	3	1050	CU			
03	060	2	6	SCT	29.96	77	73	4	1400	CU			
04	060	2	6	SCT	29.96	78	74	5	1400	CU			
05	065	4	6	SCT	29.96	79	74	5	1750	CU			
06	065	2	7	SCT	29.96	81	74	4	2450	CU			
07	065	4	7	SCT	29.96	83	74	4	3150	CU			
08	065	4	7	SCT	29.96	85	75	4	3500	CU			
09	065	6	7	SCT	29.97	85	75	3	3500	CU			
10	070	8	7	SCT	29.97	84	75	3	3150	CU			
11	070	7	7	SCT	29.97	82	75	3	2450	CU			
12	070	6	7	SCT	29.96	82	74	4	2800	CU			
13	070	6	7	SCT	29.95	83	74	5	3150	CU			
14	065	5	7	OVC	29.94	80	75	9	1750	SC			
15	065	8	7	OVC	29.94	82	75	9	2450	SC			
16	065	9	7	BKN	29.94	81	75	8	2100	CU			
17	065	8	7	BKN	29.94	82	75	7	2450	CU			
18	065	6	7	BKN	29.95	80	75	6	1750	CU			
19	065	6	7	SCT	29.95	80	75	5	1750	CU			
20	065	4	7	SCT	29.96	79	75	5	1400	CU			
21	065	4	6	SCT	29.96	78	75	4	1050	CU			
22	070	4	6	SCT	29.97	78	75	3	1050	CU			
23	070	3	6	SCT	29.98	78	75	3	1050	CU			
24	070	2	6	SCT	29.97	78	74	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

ØØ-Ø4 Moored starboard side to berth B-8 U.S. Naval Station Pearl Harbor, Hawaii, with standard mooring lines doubled. Receiving fresh water, steam, electric power, and telephone service from the pier. Material Condition Yoke set throughout the ship. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Flt.

R. L. Walker
LTJG USN

Ø4-Ø8 Moored as before. Ø735 Mustered the crew at quarters; Absentees: none.

R. L. Walker
LTJG USN

APPROVED: [signature] LT. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF 96) THURSDAY (Day) 4 (Date) OCTOBER (Month) 19 62

JEH ~~0800-0001~~ 0800-1200 MOORED AS BEFORE 0920 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL

J E Horton
Ens USN.

1200-1600 MOORED AS BEFORE

J E Horton
Ens USN

1600-2000 MOORED AS BEFORE 1800 SET CONDITION X OKE THRU OUT THE SHIP.

J E Horton
Ens USN

2000-2400 MOORED AS BEFORE

J E Horton
Ens USN

APPROVED:

C.C. Bird Lt. U.S.N. COMMANDING

EXAMINED:

A. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY 5 OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	2	6	SCT	29.97	78	74	3	1400	CU			
02	070	2	6	SCT	29.96	78	74	4	1400	CU			
03	070	1	6	SCT	29.96	77	74	5	1050	CU			
04	070	1	6	BKN	29.95	78	75	6	1050	CU			
05	070	2	6	BKN	29.95	79	75	7	1400	CU			
06	075	2	6	BKN	29.95	79	75	7	1400	CU			
07	075	4	7	BKN	29.95	79	76	7	1050	CU			
08	075	4	7	BKN	29.96	83	77	6	2100	CU			
09	080	5	7	SCT	29.98	86	77	5	3150	CU			
10	080	7	7	SCT	29.99	87	77	5	3500	CU			
11	080	7	7	SCT	30.00	87	77	5	3500	CU			
12	080	10	7	BKN	29.99	88	77	6	3850	CU			
13	080	10	7	BKN	29.98	84	77	6	2450	CU			
14	075	12	7	BKN	29.96	81	75	7	2100	SC			
15	075	8	7	BKN	29.95	80	75	6	1750	CU			
16	075	8	7	SCT	29.95	81	74	5	2450	CU			
17	075	5	7	SCT	29.94	81	74	5	2450	CU			
18	075	3	7	SCT	29.94	80	75	4	1750	CU			
19	075	3	7	SCT	29.94	80	75	3	1750	CU			
20	075	4	6	SCT	29.95	79	74	3	1750	CU			
21	075	3	6	SCT	29.95	79	74	3	1750	CU			
22	075	2	6	SCT	29.94	78	74	3	1400	CU			
23	075	2	6	SCT	29.94	77	74	3	1050	CU			
24	075	2	6	SCT	29.94	77	74	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0000-0004 MOORED STARBOARD SIDE TO BERTH BRAVO EIGHT PEARL HARBOR NAVAL SHIPYARD WITH STANDARD MOORING LINES DOUBLED. CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT SOPA IS CINC PAC FLT.

L E Horton
Ens USN

0004-0008 MOORED AS BEFORE. 0735 MUSTERED CREW AT QUARTERS. ABSENTEES NONE.

L E Horton
Ens USN

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: G L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY (Day) 5 (Date) OCTOBER (Month), 19 62

ØØ-12: MOORED AS BEFORE. 1135 MADE DAILY INSPECTIONS OF MAGAZINGS AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM; TEST SATISFACTORY.

H. E. Swan, ENS, USNR

12-16: MOORED AS BEFORE. 1400 COMMENCED CAPTAIN'S MATERIAL INSPECTION.

H. E. Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1635 SECURED FROM COMMANDING OFFICER'S MATERIAL INSPECTION. 1800 SET MATERIAL CONDITION YOKE. 1824 MUSTERED THE DUTY IN-PORT FIRE PARTY.

H. E. Swan, ENS, USNR

20-24: MOORED AS BEFORE.

H. E. Swan, ENS, USNR

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 6 OCTOBER , 19 62
(Day) (Date) (Month)

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	075	2	6	SCT	29.94	77	74	3	1050	CU			
02	075	2	6	SCT	29.95	77	74	3	1050	CU			
03	075	3	6	SCT	29.95	78	74	3	1400	CU			
04	075	4	6	SCT	29.96	78	75	4	1050	CU			
05	075	3	6	SCT	29.97	79	76	4	1050	CU			
06	080	3	6	SCT	29.98	79	76	4	1050	CU			
07	080	3	7	SCT	30.00	78	75	4	1050	CU			
08	075	4	7	SCT	30.00	81	73	3	2800	CU			
09	075	5	7	SCT	30.00	84	74	4	3500	CU			
10	075	5	7	SCT	30.01	83	73	4	3500	CC			
11	075	9	7	SCT	30.01	84	74	5	3500	CC			
12	075	10	7	SCT	30.01	84	74	5	3500	CC			
13	075	12	7	SCT	30.02	85	74	4	3850	C1			
14	075	10	7	SCT	30.01	85	75	4	3500	CC			
15	080	11	7	SCT	30.00	84	76	4	2800	CU			
16	080	9	7	SCT	30.00	82	76	3	2100	CU			
17	080	7	7	SCT	29.99	82	76	3	2100	CU			
18	080	7	7	SCT	29.99	81	76	3	1750	CU			
19	080	5	7	SCT	29.99	80	75	2	1750	CU			
20	080	4	7	SCT	30.00	79	75	2	1400	CU			
21	075	3	6	SCT	30.00	79	75	3	1400	CU			
22	075	3	6	SCT	30.00	78	75	3	1050	CU			
23	075	2	6	SCT	29.99	78	75	3	1050	CU			
24	075	2	6	SCT	29.99	77	74	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

A. L. SWAN, ENS, USNR

04-08: MOORED AS BEFORE. 0730 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

A. L. SWAN, ENS, USNR

APPROVED: C. C. Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LDR U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 6 (Date) OCTOBER (Month) 19 62

08-12 Moored as before 0845 Commenced Commanding Officer material inspection of Yard 4 and 3. 0945 Made daily inspection of magazine and symphon power chamber. Condition Normal. 0946. Secured from Commanding Officer material inspection

J.E. Hoffey Cwo USN.

12-16. Moored as before.

J.E. Hoffey Cwo USN.

16-20. Moored as before. 1810 Set material condition Yoke. 1875 Mustred duty fire party. Absentees none.

J.E. Hoffey Cwo USN.

20-24 Moored as before.

J.E. Hoffey Cwo USN.

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: J. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF 96) ZONE DESCRIPTION +10 DATE SUNDAY 7 OCTOBER (Day) (Date) (Month), 19 63

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	075	8	6	SCT	29.99	77	74	3	1050	CU			
02	075	8	6	SCT	29.99	76	73	3	1050	CU			
03	075	8	6	SCT	29.99	76	73	3	1050	CU			
04	075	8	6	SCT	29.99	75	71	4	1400	CU			
05	075	3	6	SCT	29.99	76	71	4	1750	CU			
06	075	3	6	SCT	29.99	76	72	5	1400	CU			
07	075	3	7	SCT	30.00	77	72	5	1750	CU			
08	070	3	7	SCT	30.03	83	73	5	3500	CU			
09	070	4	7	SCT	30.03	84	73	4	3850	CU			
10	070	6	7	SCT	30.03	84	73	4	3850	CU			
11	070	6	7	SCT	30.03	84	74	3	3500	CU			
12	070	9	7	SCT	30.04	85	75	3	3500	CU			
13	070	11	7	SCT	30.04	85	76	3	3150	CU			
14	070	10	7	SCT	30.05	84	76	3	2800	CU			
15	070	10	7	SCT	30.06	84	76	4	2800	CU			
16	070	9	7	SCT	30.06	84	75	4	3150	CU			
17	075	7	7	SCT	30.06	82	75	4	2450	CU			
18	075	5	7	SCT	30.05	82	75	5	2450	CU			
19	075	5	7	SCT	30.05	80	75	4	1750	CU			
20	075	3	7	SCT	30.05	79	75	4	1400	CU			
21	075	3	6	SCT	30.04	78	74	3	1400	CU			
22	075	2	6	SCT	30.04	78	73	3	1750	CU			
23	075	2	6	SCT	30.04	78	74	3	1400	CU			
24	075	2	6	SCT	30.04	77	74	3	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to Berth B-8 Pearl Harbor Naval Ship Yard. with standard mooring lines doubled up. Material Condition Yoke set. Receiving the following service from the pier: Electrical power, flushing water, steam and telephone service. Ship present included 2 ships and units of the U.S. Pacific Fleet, Yard and district craft. S.O.P.A. is Commander in Chief U.S. Pacific Fleet

J.C. Hoffey Cwo U.S.N.

04-08. Moored as before.

J.C. Hoffey Cwo U.S.N.

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: G.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Sunday (Day) 7 (Date) October (Month), 19 62

0800-1200 Moored as before 0810 mustered the crew on stations; Absentees: none. 1100 Made daily inspection of magazines and smokeless powder samples; Condition: normal.

R. L. Walker
LTJG USN

1200-1600 Moored as before.

R. L. Walker
LTJG USN

1600-2000 Moored as before. 1800 Set Condition Yoke throughout the ship.

R. L. Walker
LTJG USN

2000-2400 Moored as before.

R. L. Walker
LTJG USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 8 OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	075	2	6	SCT	30.04	77	74	3	1050	CU			
02	075	2	6	SCT	30.04	77	74	3	1050	CU			
03	075	2	6	SCT	30.04	77	73	3	1400	CU			
04	075	2	6	SCT	30.04	76	73	3	1050	CU			
05	075	2	6	SCT	30.04	76	72	3	1400	CU			
06	075	3	6	SCT	30.03	78	72	3	2100	CU			
07	075	4	7	SCT	30.03	82	72	3	3500	CU			
08	075	6	7	SCT	30.03	84	73	2	3850	CU			
09	075	6	7	BKN	30.03	80	73	6	2450	CU			
10	075	6	7	BKN	30.03	80	72	7	2800	CU			
11	075	7	7	BKN	30.02	80	72	8	2800	CU			
12	075	9	7	BKN	30.02	80	72	8	2800	CU			
13	075	9	7	BKN	30.01	80	72	8	2800	CU			
14	075	11	7	OVC	30.00	80	72	10	2800	CU			
15	075	10	7	OVC	29.99	80	72	10	2800	CU			
16	075	9	7	OVC	29.99	80	72	9	2800	CU			
17	080	7	7	OVC	29.99	80	72	9	2800	CU			
18	080	5	7	OVC	29.99	79	71	9	2800	CU			
19	080	4	7	OVC	29.98	79	71	10	2800	CU			
20	080	4	7	OVC	29.98	78	73	9	1750	CU			
21	080	3	6	OVC	29.98	78	73	9	1750	CU			
22	080	2	6	BKN	29.99	77	74	7	1050	CU			
23	080	2	6	SCT	30.00	77	74	5	1050	CU			
24	080	2	6	SCT	30.00	77	74	4	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard to berth B-8 U.S. Naval Station Pearl Harbor, Hawaii, with standard mooring. Stabled. Receiving fresh water, steam electric power, and telephone service from the pier. Material Condition Yoke is set throughout the ship. Ships present include various units of the U.S. Pacific Fleet and yard and district craft. SOPA is Cinc Pac Fl.

R. L. Walker
LTJG USN

04-08 Moored as before. 0740 Mustered crew at quarters, Absentees: none.

R. L. Walker
LTJG USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: R L Walker U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP Agnaki (ATF-96) Monday (Day) 8 (Date) October (Month), 19 62

0800-1200 Moored As Before. 1055 Made Daily Inspection of Magazines And Smokeless Powder Samples. Conditions Normal.

J E Horton
Ens USN

1200-1600 Moored As Before.

J E Horton
Ens USN

1600-2000 Moored As Before. 1800 Set Condition 1/Oke Thru Out The Ship

J E Horton
Ens USN

2000-2400 Moored As Before

J E Horton
Ens USN

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R. L. Walker U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAK, (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY 9 OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	9	6	SCT	30.00	77	74	4	1050	CU			
02	080	9	6	SCT	30.00	77	73	4	1400	CU			
03	080	14	6	SCT	30.01	77	72	4	1750	CU			
04	080	5	6	SCT	30.02	78	70	4	2800	CU			
05	080	4	6	SCT	30.01	78	70	4	2800	CU			
06	080	4	6	SCT	30.01	79	71	4	2800	CU			
07	080	5	7	SCT	30.02	80	73	3	2800	CU			
08	080	5	7	SCT	30.03	82	74	3	2800	CU			
09	080	6	7	SCT	30.04	84	75	3	3150	CU			
10	080	6	7	SCT	30.04	83	74	4	3150	CU			
11	075	8	7	SCT	30.04	83	74	4	3150	CU			
12	075	12	7	BKN	30.04	82	75	6	2450	CU			
13	075	12	7	BKN	30.04	82	76	6	2100	CU			
14	075	11	7	BKN	30.03	82	76	6	2100	CU			
15	075	10	7	BKN	30.03	81	76	6	1750	CU			
16	075	8	7	BKN	30.02	81	76	6	1750	CU			
17	075	6	7	BKN	30.02	80	76	7	1400	CU			
18	075	6	7	BKN	30.02	79	75	7	1400	CU			
19	075	4	7	BKN	30.03	79	75	6	1400	CU			
20	075	3	6	BKN	30.03	78	75	6	1050	CU			
21	075	2	6	BKN	30.04	77	74	6	1050	CU			
22	075	5	6	SCT	30.04	77	74	4	1050	CU			
23	080	7	6	SCT	30.04	77	74	4	1050	CU			
24	080	8	6	SCT	30.04	76	72	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

04-04 MOORED STARBOARD SIDE TO BERTH BRAVO EIGHT PEARL HARBOR NAVAL SHIPYARD WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRICAL POWER, AND TELEPHONE SERVICES FROM THE PIER. CONDITION VOICE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE US PACIFIC FLEET, DISTRICT AND YARD CRAFT. SOPA IS CINCPACFLT.

J E Horton
Lcdr USN

04-08. MOORED AS BEFORE. 0725 MUSTERED CREW ON STATIONS. ABSENTEES NONE.

J E Horton
Lcdr USN.

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY 9 OCTOBER 1962
(Day) (Date) (Month)

08-12: MOORED AS BEFORE. 0956 MADED DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H K Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H K Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1805 MUSTERED THE RESCUE AND ASSISTANCE PARTY.

H K Swan, ENS, USNR

20-24: MOORED AS BEFORE.

H K Swan, ENS, USNR

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Abnaki (ATF-96) ZONE DESCRIPTION +10 DATE Wednesday 10 October (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	085	8	6	Set	30.04	76	72	3	1400	CU			
02	085	10	6	Set	30.04	76	72	3	1400	CU			
03	085	10	6	Set	30.03	76	73	4	1050	CU			
04	085	9	6	Set	30.03	76	73	4	1050	CU			
05	085	9	6	Set	30.02	76	73	4	1050	CU			
06	080	8	7	Set	30.02	77	73	5	1400	CU			
07	080	8	7	Set	30.01	78	74	5	1400	CU			
08	075	3	7	Set	30.06	84	73	5	3850	CU			
09	075	5	7	L	30.07	78	72	9	2100	SC			
10	075	6	7	Set	30.07	82	73	4	3150	CU			
11	075	5	7	Set	30.07	80	74	4	2100	CU			
12	075	6	7	Set	30.07	82	76	4	2100	CU			
13	075	8	7	Set	30.06	81	74	3	2450	CU			
14	075	7	7	Set	30.04	80	70	3	3500	CU			
15	075	6	7	Set	30.03	79	72	3	2450	CU			
16	075	8	7	Set	30.03	79	73	3	2100	CU			
17	070	8	7	Set	30.01	78	74	4	1400	CU			
18	070	8	7	Set	30.02	78	74	4	1400	CU			
19	070	7	7	Set	30.03	78	74	4	1400	CU			
20	070	9	6	Set	30.04	77	75	3	1050	CU			
21	070	9	6	Set	30.05	77	74	5	1050	CU			
22	070	9	6	Set	30.05	77	74	5	1050	CU			
23	070	8	6	Set	30.04	77	74	4	1050	CU			
24	070	7	6	Set	30.04	77	74	4	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04: MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRIC POWER, AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

H. E. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0725 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

H. E. Swan, ENS, USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 10 (Date) OCTOBER (Month) 19 62

08-12 Moored as before. 1055 Made daily inspection of magazine and smokeless powder samples. Condition Moored

J.E. Hoffey CWO USN.

12-16. Moored as before.

J.E. Hoffey CWO USN.

16-20 Moored as before 1800 Set material Condition Yoke.

J.E. Hoffey CWO USN

20-24. Moored as before.

J.E. Hoffey CWO USN.

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 11 OCTOBER (Day) (Date) (Month) , 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	070	7	6	SCT	30.03	76	72	3	1400	CU			
02	070	7	6	SCT	30.02	75	72	3	1050	CU			
03	070	8	6	SCT	30.01	74	71	3	1050	CU			
04	070	8	6	SCT	30.00	73	70	3	1050	CU			
05	070	5	6	SCT	30.00	73	70	3	1050	CU			
06	075	4	6	SCT	30.02	75	71	1	1400	CU			
07	075	4	7	SCT	30.02	75	71	2	1400	CU			
08	075	3	7	SCT	30.02	81	72	2	3150	CU			
09	075	5	7	SCT	30.03	80	72	5	2500	CU			
10	075	5	7	BKN	30.03	79	72	8	2450	SC			
11	075	2	7	OVC	30.04	76	73	9	1050	SC			
12	075	3	7	BKN	30.03	78	73	8	1750	SC			
13	075	5	7	BKN	30.02	79	73	8	2100	CU			
14	075	4	7	SCT	30.00	79	71	4	2800	CU			
15	075	5	7	SCT	29.98	79	71	4	2800	CU			
16	075	5	7	SCT	29.96	79	71	4	2800	CU			
17	080	4	7	SCT	29.96	78	71	4	2450	CU			
18	080	3	7	SCT	29.97	78	70	4	2800	CU			
19	080	3	7	SCT	29.98	77	70	4	2450	CU			
20	080	2	6	SCT	29.98	76	69	4	2450	CU			
21	080	3	6	SCT	29.98	76	69	4	2450	CU			
22	080	2	6	SCT	29.98	76	69	3	2450	CU			
23	080	2	6	SCT	29.98	76	69	3	2450	CU			
24	080	2	6	SCT	29.98	76	69	3	2450	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

0800-04 Moored starboard side to berth B-8. U.S. Navy Shipyard, Pearl Harbor, Hawaii with standard mooring lines doubled up. Receiving fresh water, flushing water, steam and electrical power from pier and telephone service. Material condition Yoke set. Ship present includes various ships and Units of the U.S. Pacific Fleet, yard and district craft. 5 OPA. in CINCPACFLT.

J.E. Duffy CWO USN

0800-08. Moored as before. 0725 mustered the crew on station; absentees none.

J.E. Duffy CWO U.S.N.

APPROVED:

C C Reed Lt U.S.N. COMMANDING

EXAMINED:

R L Walker LT/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Thursday (Day) 11 (Date) October (Month), 19 62

08-12 Moored as before. 1043 Made daily inspection of magazines and smokeless ~~samples~~ powder samples; Condition: ~~as~~ normal.

R. L. Walker
Lt JG USN

12-16 Moored as before

R. L. Walker
Lt JG USN

16-20 Moored as before. 1620 Held fire and abandon ship drill. 1645 Secured from fire and abandon ship drill. 1800 Set Material Condition Yoke throughout the ship.

R. L. Walker
Lt JG USN

20-24 Moored as before

R. L. Walker
Lt JG USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walker Lt JG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE Friday (Day) 12 (Date) October (Month), 19 62

AT/~~PASSAGE FROM~~ Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	080	2	6	SCT	29.98	76	69	2	2450	CU			
02	080	2	6	SCT	29.97	76	69	2	2450	CU			
03	080	2	6	SCT	29.97	76	69	2	2450	CU			
04	080	2	6	SCT	29.97	76	69	2	2450	CU			
05	085	2	6	SCT	29.97	75	69	2	2100	CU			
06	085	2	6	SCT	29.96	75	70	2	1750	CU			
07	080	2	7	SCT	29.96	78	75	2	10500	CU			
08	075	2	7	SCT	29.97	81	76	2	1750	CU			
09	080	4	7	SCT	29.97	82	75	3	2450	CU			
10	080	4	7	SCT	29.97	83	73	3	3500	CU			
11	080	5	7	SCT	29.98	80	71	3	3150	CU			
12	080	5	7	SCT	29.95	80	71	3	3150	CU			
13	080	3	7	SCT	29.94	81	71	2	3500	CU			
14	080	3	7	SCT	29.93	81	71	3	3500	CU			
15	060	6	7	SCT	29.88	81	71	4	3500	CU			
16	060	2	7	SCT	29.88	80	71	4	3150	CU			
17	060	1	7	SCT	29.89	78	71	3	2450	CU			
18	065	1	7	SCT	29.89	77	71	3	2100	CU			
19	065	1	7	SCT	29.90	76	70	2	2100	CU			
20	065	1	6	SCT	29.90	75	70	2	1750	CU			
21	065	1	6	SCT	29.91	75	70	2	1750	CU			
22	065	1	6	SCT	29.91	75	69	3	2100	CU			
23	0	0	6	SCT	29.92	76	68	2	2100	CU			
24	0	0	6	SCT	29.93	75	68	2	2450	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored starboard side to berth B-8 U.S. Naval Station, Pearl Harbor Hawaii with standard mooring lines doubled. Material Condition Yoke is set throughout the ship. Receiving fresh water, steam, electric power, and telephone services from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Fit.

L. L. Walker
Lt JG USN

04-08 Moored as before. 0735 Mustered the crew at quarters. Absentees: none. 0745 Commenced Commanding Officers personnel inspection. 0757 Secured from Commanding Officers personnel inspection.

L. L. Walker
Lt JG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: L. L. Walker Lt JG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 FRIDAY (Day) 12 (Date) OCTOBER (Month) 62

0800-1200 MOORED AS BEFORE. 0857 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES: CONDITIONS NORMAL. MADE WEEKLY TEST OF MAGAZINE SPRINKLER SYSTEM. TEST SATISFACTORY

F E Horton
Ens USN.

1200-1600 MOORED AS BEFORE. 1400 COMMENCED CAPTAINS MATERIAL INSPECTION. 1516 SECURED FROM CAPTAINS MATERIAL INSPECTION.

F E Horton
Ens USN

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION YOKE THRU OUT THE SHIP.

F E Horton
Ens USN

2000-2400 MOORED AS BEFORE.

F E Horton
Ens USN

APPROVED: C C Reed U.S.N. COMMANDING

EXAMINED: G L Walke Lt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY (Day) 13 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	6	SCT	29.92	70	64	2	2100	CU			
02	0	0	6	SCT	29.91	70	64	2	2100	CU			
03	0	0	6	SCT	29.91	70	64	2	2100	CU			
04	0	0	6	SCT	29.89	73	70	1	1050	CU			
05	0	0	6	SCT	29.89	73	70	1	1050	SC			
06	080	1	6	SCT	29.91	73	70	1	1050	SC			
07	080	1	7	SCT	29.90	75	70	1	1750	SC			
08	080	2	7	SCT	29.90	74	70	2	1400	SC			
09	080	2	7	SCT	29.90	78	71	2	2450	CU			
10	080	4	7	SCT	29.90	81	71	2	3500	CU			
11	080	5	7	SCT	29.90	82	71	2	3850	CC			
12	085	6	7	SCT	29.88	84	73	3	3850	CI			
13	085	6	7	SCT	29.86	84	73	3	3850	CI			
14	085	7	7	SCT	29.86	84	73	4	3850	CI			
15	080	6	7	SCT	29.86	84	73	4	3850	CI			
16	080	5	7	SCT	29.86	82	78	4	3500	CC			
17	080	6	7	SCT	29.87	79	71	2	3500	CU			
18	080	6	7	SCT	29.88	77	70	2	2450	CU			
19	080	4	7	SCT	29.88	76	70	2	2100	CU			
20	080	3	6	SCT	29.90	75	72	2	1050	CU			
21	080	3	6	SCT	29.90	75	72	3	1050	CU			
22	075	2	6	SCT	29.91	75	72	3	1050	CU			
23	075	2	6	SCT	29.91	75	71	3	1400	CU			
24	075	2	6	SCT	29.91	75	71	2	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED STARBOARD SIDE TO BERTH BRAVO EIGHT, U.S. NAVAL SHIPYARD, PEARL HARBOR WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER, STEAM, ELECTRIC POWER, AND TELEPHONE SERVICE FROM THE PIER. CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND ~~DP~~ FCH DISTRICT CRAFT. SOPA IS CINCPACFLT.

J.E. Horton
Ens. USN

04-06 MOORED AS BEFORE. 0725 MUSTERED CREW ON STATIONS. ABSENTEES: NONE.

J.E. Horton
Ens USN

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: G.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SATURDAY (Day) 13 (Date) OCTOBER (Month) 1962

ØØ-12: MOORED AS BEFORE. ~~1855~~ 1000 HRS MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H K Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H K Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE. 1815 MUSTERED DUTY IN-PORT FIRE PARTY.

H K Swan, ENS, USNR

20-24: MOORED AS BEFORE.

H K Swan, ENS, USNR.

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

A L Walke LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 14 (Date) OCTOBER (Month) 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	075	2	6	SCT	29.91	75	70	2	1750	CU			
02	075	2	6	SCT	29.91	75	70	2	1750	CU			
03	075	3	6	SCT	29.91	74	70	2	1400	CU			
04	075	4	6	SCT	29.92	75	69	3	2100	CU			
05	075	4	6	SCT	29.92	75	69	4	2100	CU			
06	075	4	6	SCT	29.92	75	69	5	2100	CU			
07	075	3	7	SCT	29.93	77	70	5	2450	CU			
08	080	4	7	SCT	29.93	80	72	3	3500	CU			
09	080	3	7	SCT	29.94	81	74	3	2450	CU			
10	080	2	7	SCT	29.95	82	73	4	3150	CU			
11	080	2	7	SCT	29.95	83	75	4	3500	CU			
12	080	2	7	SCT	29.95	84	77	4	2450	CU			
13	080	2	7	SCT	29.96	85	78	3	2450	CU			
14	080	3	7	SCT	29.96	85	78	3	2450	CU			
15	085	3	7	SCT	29.97	86	76	5	3500	CU			
16	085	3	7	BKN	29.95	80	72	6	3500	CU			
17	085	5	7	BKN	29.92	80	72	6	3500	CU			
18	080	7	7	BKN	29.91	79	72	7	2450	CU			
19	080	5	7	BKN	29.91	77	72	6	1750	SC			
20	080	5	6	BKN	29.90	77	72	6	1750	SC			
21	080	3	6	BKN	29.90	76	71	6	1750	SC			
22	080	3	6	SCT	29.88	75	71	5	1400	SC			
23	080	2	6	SCT	29.87	76	71	3	1750	CU			
24	080	2	6	SCT	29.87	75	70	3	1750	CU			

POSITION	ZONE	TIME
0800		
L _____	BY	_____
λ _____	BY	_____
1200		
L _____	BY	_____
λ _____	BY	_____
2000		
L _____	BY	_____
λ _____	BY	_____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

~~00~~-04: MOORED STARBOARD SIDE TO BERTH B-8, U.S. NAVAL SHIPYARD, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING STEAM, FRESH WATER, ELECTRIC POWER AND TELEPHONE SERVICES FROM THE PIER. MATERIAL CONDITION YOKE IS SET. SHIPS PRESENT INCLUDE VARIOUS UNITS OF ~~THE PACIFIC~~ U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W. L. [illegible], ENS, USNR

04-~~08~~: MOORED AS BEFORE.

W. L. [illegible], ENS, USNR

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 14 (Date) OCTOBER (Month), 1962

08-12. Moored as before. 0800 Mustered duty section on station. Routine normal. 1145 Made daily inspection of magazine and smoking lamps. Condition normal.

J.G. Hoffey CWO USN.

12-16. Moored as before.

J.G. Hoffey CWO USN.

16-20 Moored as before. 1800 Set material condition Yoke. 1815 Held fire drill in Compartment C-202-L 1840 Secured from fire drill

J.G. Hoffey CWO USN.

20-24. Moored as before.

J.G. Hoffey CWO USN.

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker Lt/JG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY (Day) 15 (Date) OCTOBER (Month), 19 69

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	080	2	6	SCT	29.88	75	70	2	1750	CU			
02	080	2	6	SCT	29.89	75	71	2	1400	CU			
03	080	3	6	SCT	29.90	75	72	2	1050	CU			
04	080	4	6	SCT	29.92	75	72	2	1050	CU			
05	080	4	6	SCT	29.92	75	72	2	1050	CU			
06	080	3	6	SCT	29.92	77	74	3	1050	CU			
07	080	3	7	SCT	29.92	79	75	3	1400	CU			
08	080	3	7	SCT	29.93	83	76	3	2450	CU			
09	100	3	7	SCT	29.93	86	77	3	3150	CU	80	100	2
10	190	3	7	SCT	29.94	88	78	3	3500	AC	80	170	2
11	195	7	7	SCT	29.94	87	79	3	3500	AC	80	155	2
12	200	6	7	SCT	29.92	86	77	3	3150	CU	80	180	2
13	195	5	7	SCT	29.92	86	77	3	3150	CU	80	185	2
14	195	8	7	SCT	29.90	85	76	3	3150	CU	81	190	2
15	190	10	7	SCT	29.90	86	77	3	3150	CU	81	190	2
16	145	8	7	SCT	29.90	86	77	4	3150	CU	81	170	2
17	100	8	7	SCT	29.89	87	77	5	3500	CU			
18	050	5	7	SCT	29.89	85	76	5	3150	CU			
19	045	4	7	SCT	29.90	81	75	5	2100	CU			
20	045	4	6	SCT	29.91	79	75	3	1400	CU			
21	040	4	6	SCT	29.91	79	75	3	1400	CU			
22	040	3	6	SCT	29.92	78	74	3	1400	CU			
23	040	2	6	SCT	29.92	77	74	2	1050	CU			
24	035	2	6	SCT	29.92	76	73	2	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 21-18.1 N		BY 3
λ 158-16.8 W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 81.7

FUEL CONSUMED 0000-2400: 823

REMARKS

00-04. Moored starboard side to Berth B-8 U.S. Naval Shipyard, Pearl Harbor, Hawaii with standard mooring lines doubled up. Receiving steam, fresh water, flushing water, electrical power and telephone service from the pier. Material Condition Yoke set. Ship present included various ships and Units of the U.S. Pacific Fleet, Yard and district Craft. SOPA is CINCPACFLT.

J.E. Hoffey CWO USN

04-08. Moored as before 0645. Commenced preparations for getting underway. 0700 secured service from pier, on own ship service. 0735. Quarters for muster, inspection and instructions; absentees none. 0745. Stationed the special sea detail. 0750 Completed all preparations for getting underway draft: forward 13'7, Aft 16'3. 0751 Captain and Navigator on the bridge.

J.E. Hoffey CWO U.S.N.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: G. L. Wilder LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP OBNAKI (ATF-96) Monday (Day) 15 (Date) October (Month), 19 62

08-12 Moored as before. 0801 Underway, In Accordance With Verbal Orders From Port Control, From Berth Bravo, Eight. Proceeding To Berth Whiskey-Five ~~Westlock~~ Westlock. 0802 Maneuvering On Various Courses And Speeds To Clear Berth B-8. 0809 C/C To 273° 0810 C/C To 280 C/S To To 6 Knots. 0813 Maneuvering On Various Courses And Speeds To Conform With Pearl Harbor Channel. 0832 C/S To 5 Knots Entered Westlock Channel 0834 Maneuvering On Various Courses And Speeds To Conform With Westlock Channel. 0840 Commenced Maneuvering On Various Courses And Speeds To Approach Berth Whiskey Five. 0851 Moored Stbd Side To Berth Whiskey Five, NAD ONAU 0905 Made Up To Barge YF 692 With Main Tow Wire. 0907 Underway From Berth Whiskey Five With YF 692 In Tow Proceeding To Ammo Dump Area. Maneuvering On Various Courses And Speeds To Conform With ~~Pearl Harbor Channel~~. Westlock Channel 0921 Entered Pearl Harbor Channel. C/C To 172° ~~C/S~~ C/S To 8.3 Knots. 0938 Streamed Tow To 600 Ft. 0945 Secured Special Sea Detail 0947 C/S To 9.5 Knots. 0949 C/S To 10.8 Knots. Streamed Tow To 1,000 Ft. 0951 C/C To 250° 0955 Entered International Waters. 1005 Streamed Tow To 1500 Ft. 1009 Made Daily Inspection of Magazines And Smokless Powder Samples Conditions Normal 1010 C/S To 12.3 Knots. 1022 C/S To 13.3 Knots. 1038 C/C To 290° 1125 C/C To 297°

LE Hooton
Ens USN

12-16 Underway as before. 1220 C/C to 270° 1232 C/S to 3.3 kts. 1235 Commenced dumping Ammo from barge. 1240 C/C to 329° 1313 C/C to 150°. Completed dumping Ammo. 1316 C/S to 9.5 kts. C/C to 111°. Steering various courses and speeds to sink all floating ammo by small arms fire. 1410 C/C to 115° Cyclone over at General Quarters. 1510 Held Abandon ship Drill. 1521 Secured from Abandon ship drill and General Quarters. 1532 C/C to 075° 1544 C/C to 065° R L Walke 2nd/C USN

16-20. Underway as before. 1600 Heaved tow into 600 ft 1619 C/C 342 1623 C/C 342°, 1624 Set special sea detail, Entered inland water OOD Conning, Captain and Navigator on the Bridge. Commenced steering various course and speed to Conform with Pearl Harbor Channel. 1632 passed buoy (2) abeam 20 yds off approx 50 yds. 1636 passed buoy (4) abeam 50 yds off approx 50 yds. 1647 passed buoy (6) abeam 50 yds off 100 ft. Tow heaved into 200 ft. 1650 YTM 496 took barge YFN 692 in tow. 1657 Maneuvering at various Course and speed to Moor. Berth F-5. 1700 Moored Set inport watch 1800 Set Material Condition "Yoke"
J J Hoffey Cwo USN

20-24 Moored as before.

R L Walke
2nd/C USN

APPROVED: C C Reed Lt U.S.N. COMMANDING

EXAMINED: R. L. Walke 2nd/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 16 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	035	2	6	SCT	29.98	76	73	3	1050	CU			
02	035	2	6	SCT	29.98	76	73	3	1050	CU			
03	035	2	6	SCT	29.98	75	72	3	1050	CU			
04	035	2	6	SCT	29.98	76	72	3	1400	CU			
05	040	2	6	SCT	29.98	76	73	3	1050	CU			
06	040	2	6	SCT	29.98	77	73	3	1400	CU			
07	040	2	7	SCT	29.98	79	74	3	1750	CU			
08	045	4	7	SCT	29.98	80	74	3	2100	CU			
09	190	3	7	SCT	29.98	81	76	4	1750	CU	82	185	2
10	190	4	7	SCT	29.98	84	79	4	1750	CU	82	185	2
11	060	6	7	SCT	29.90	84	79	4	1750	CU	82	175	2
12	060	6	7	SCT	29.90	84	79	4	1750	CU	82	170	2
13	060	4	7	SCT	29.85	84	80	4	1400	CU	83	160	2
14	150	2	7	SCT	29.85	85	80	4	1750	CU	83	180	2
15	265	6	7	OVC	29.83	83	79	10	1400	SC	83	190	2
16	265	6	7	OVC	29.84	81	77	10	1400	SC	83	190	2
17	245	7	7	BKN	29.84	80	76	9	1400	SC	83	190	2
18	200	5	7	BKN	29.84	79	76	8	1050	SC			
19	045	3	6	BKN	29.84	78	76	7	700	SC			
20	040	3	6	SCT	29.84	80	77	3	1050	SC			
21	040	3	6	SCT	29.84	80	77	3	1050	SC			
22	255	4	6	SCT	29.84	80	76	4	1400	SC			
23	255	4	6	SCT	29.84	80	76	4	1400	SC			
24	255	4	6	SCT	29.83	80	76	4	1400	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20-51.6N		BY 2
λ 158-15.7W		BY 2
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 119.8

FUEL CONSUMED 0000-2400: 896

REMARKS

00-04 Moored port side to berth A-5 U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines doubled. Receiving fresh water and telephone service from the pier. Material Condition Yoke in effect throughout the ship. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is CinCPac Flt.

R. L. Walker
LTJG USN

04-08 Moored as before. 0745 Mustered the crew at quarters; Absentees: none.

R. L. Walker
LTJG USN

APPROVED: C. C. Reed U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 16 (Date) OCTOBER (Month) 19 62

0800-12 MOORED AS BEFORE. 0803 SET SECTIONAL SEA DETAIL - SECTION TWO. CAPTAIN AND NAVIGATOR ~~HAS~~ ON THE BRIDGE CAPTAIN HAS THE CONN AND THE DECK. 0817 UNDERWAY IN ACCORDANCE WITH ~~VERBAL~~ CFTC OP-ORD 43-62 ~~ORDERS FROM PORT CONTROL~~ WITH 5-40 SLED IN TOW. 0827 MANUEVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL 0841 PASSED BOUY 1 ABEAM TO STARBOARD APROX. 200 FT ON COURSE 153° SPEED 7.7 KNTS WITH TARGET STREAMED TO 100 FT. 0843 C/S TO 8.9 KNTS PAYED OUT TARGET TO 600 FT. 0848 C/S TO 11.3 KNTS. 0849 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL 0850 C/S TO 13.3 KNTS C/C TO 206°, 0851 EXERCISED CREW AT GENERAL QUARTERS. 0855 PAYED OUT TARGET TO 900FT. 0905 C/C TO 204° 0949 C/C TO 216° 1007 SECURED FROM GENERAL QUARTERS. 1030 C/C 214°. 1055 Lost steering Control 1059 C/C 213°. 1110 Restored steering Control to Brudya 1135 C/C 260°. 1137 Commenced streaming target to 3,600ft 1153 Target streamed to 3600 ft.

J.E. Hoffey CWO U.S.N.

17-16. Underway as before. 1212 C/S 100 RPM - C/S 75 RPM 1214 C/S 50 RPM. 1216 C/S 75 RPM - C/S 100 RPM. 1220 C/S 110 RPM 13.3 kts 1221 Commenced scheduled steering Z-21-G with USCG CHATAUQUA (WPG-41) 1231 Completed steering Z-21-G 1232 C/S 53 RPM 7 kts. 1250 C/C 260°. 1251 Commenced steering Z-23-G C/S 110 RPM 13.3 kts. 1253 C/C 280°. 1302 Completed steering Z-23-G-C/C 270° - C/S 80 RPM. 1314 C/S 090° 1330 Commenced steering Z-25-G C/C 110°. 1332 C/C 075° 1334 Completed steering Z-25-G C/S 80 RPM. 1335 C/C 090° - C/S 38 RPM. 1346 Commenced steering Z-27-G. 1350 Completed steering Z-27-G C/S 80 RPM. 1352 Completed all scheduled steering and released by U.S.C.G. CHATAUQUA (WPG-41) 1354. Commenced towing sled on target to 900 feet. C/S 50 RPM. 1400 Target towed in to 900 feet and on the brake 1402 C/C 058° C/S 110 RPM 13.3 kts. 1530 C/C 035°.

J.E. Hoffey CWO U.S.N.

16-20: UNDERWAY AS BEFORE. 1607 C/S 11.8 KTS. 1625 C/S 13.3 KTS. 1630 C/C 030°. 1645 C/S 7.7 KTS. 1647 C/S 13.3 KTS. 1706 C/C 023°. 1727 C/C 028°. 1752 ENTERED INLAND WATERS. 1753 C/C 000°. SET SPECIAL SEA AND ANCHOR DETAIL. 1754 C/S 9.5 KTS C/C 336° 1759 PASSED BOUY NR. TWO ABEAM TO STARBOARD, DISTANCE 100 FEET. COMMENCED STEAMING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 1815 TOW BROKEN, 5-40 TARGET SLED TAKEN FROM ASTERN BY YT-166. 1823 MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR HAWAII. 1826 SECURED THE SPECIAL SEA AND ANCHOR DETAIL.

N.R. Snow, ENS, USNR

APPROVED: C.C. Reed Lt U.S.N. COMMANDING

EXAMINED: G.L. Hale LT/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 – CELESTIAL
2 – ELECTRONIC
3 – VISUAL
4 – D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 16 (Date) OCTOBER (Month) 19 62

20-24: MOORED AS BEFORE.

D. K. Swan, ENS, USNR

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R. L. Walker 4416 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 17 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	255	4	6	SCT	29.83	80	76	4	1400	SC			
02	255	4	6	SCT	29.83	80	76	4	1400	SC			
03	255	4	6	SCT	29.83	79	75	4	1400	SC			
04	255	2	6	BKN	29.83	76	71	7	1750	SC			
05	255	1	6	SCT	29.83	76	73	5	1050	SC			
06	0	0	7	BKN	29.82	76	73	7	1050	SC			
07	0	0	7	BKN	29.83	77	75	8	700	SC			
08	0	0	7	BKN	29.84	77	72	7	1750	SC			
09	225	9	7	BKN	29.84	79	76	7	1050	SC	81	250	1
10	290	6	7	SCT	29.84	82	78	3	1400	CU	81	250	1
11	270	5	7	SCT	29.83	85	78	3	2450	CU	81	250	1
12	260	7	7	SCT	29.83	83	78	3	1750	CU	81	255	1
13	290	6	7	SCT	29.81	83	78	3	1750	CU	81	255	1
14	220	8	7	SCT	29.80	83	78	3	1750	CU			
15	225	8	7	SCT	29.79	82	77	3	1750	CU			
16	170	8	7	SCT	29.79	80	76	3	1400	CU			
17	175	8	7	BKN	29.79	78	75	6	1050	SC			
18	175	8	7	BKN	29.80	77	74	6	1050	SC			
19	175	8	7	L	29.80	76	72	10	1400	SC			
20	180	6	6	OVC	29.81	76	72	9	1400	SC			
21	180	6	6	BKN	29.81	75	72	8	1050	SC			
22	180	5	6	BKN	29.82	75	72	8	1050	SC			
23	180	5	6	BKN	29.82	74	71	7	1050	CU			
24	180	4	6	BKN	29.82	74	71	7	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 385

FUEL CONSUMED 0000-2400: 339

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO BERTH ALPHA FIVE WITH STANDARD MOORING LINES, PEARL HARBOR, HAWAII. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT. MATERIAL CONDITION YOKE SET THRU OUT THE SHIP.

L E Horton
Ens. USN

Ø4-Ø8 MOORED AS BEFORE Ø73Ø MUSTERED CREW AT QUARTERS. ABSENTEES: NONE. Ø745 SET SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENS HORTON HAS DECK AND CONN.

L E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI ATF 96 WEDNESDAY (Day) 17 (Date) OCTOBER (Month) 19 62

0800-1200 MOORED AS BEFORE. 0802 UNDERWAY FROM BERTH ALPHA FIVE IN ACCORDANCE WITH VERBAL ORDERS FROM PORT CONTRON TO SOUTH HONO OP AREA FOR ISE. MANEUVERING ON VARIOUS COURSES & MAKING VARIOUS SPEED TO CONFORM WITH PEARL HARBOR CHANNEL. 0822 PASSED BOUY 1 ABEAM TO STARBOARD APPROX 200FT. ON COURSE 153° SPEED 12.3 KNTS. 0828 C/C TO 100°T. 0832 C/C TO 110° 0837 MANEUVERING ON VARIOUS COURSES TO SWING SHIP. 0846 Entered international waters. 0856 CWO HAFFEY has Conn and Officer of the deck. 0946. Made daily injection of magazine and Smoke less power samples. Condition Normal.

J E Haffey CWO U.S.N.

12-16: UNDERWAY AS BEFORE. 1253 SET THE SPECIAL SEA AND ANCHOR DETAIL. 1257 C/C 030°. 1259 C/C 000° 1301 S/S 6 KTS. 1304 C/C 310°. 1309 S/S 9 KTS. 1325 COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO ANCHOR IN ANCHORAGE 13, HONOLULU, HAWAII. 1346 ANCHORED IN 22 FATHOMS OF WATER, GREY SAND BOTTOM, WITH 40 FATHOMS OF CHAIN TO THE PORT ANCHOR AT ANCHORAGE 13, HONOLULU, HAWAII. 1405 UNDERWAY FROM ANCHORAGE 13. C/C 261°. 1430 ENTERED INTERNATIONAL WATERS. 1438 ENTERED INLAND WATERS. 1448 PASSED BOUY NUMBER 2 ABEAM TO STARBOARD, 150 FEET. ENTERED PEARL HARBOR CHANNEL. COMMENCED STEERING VARIOUS COURSES AT VARIOUS SPEEDS TO CONFORM WITH CHANNEL. 1502 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH PIER A-5. 1509 MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5) AT U.S. NAVAL BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. 1512 SECURED THE SPECIAL SEA AND ANCHOR DETAIL, SET REGULAR IN-PORT WATCH

H K Swan, ENS, USNR

16-20: MOORED AS BEFORE. 1800 SET MATERIAL CONDITION YOKE.

H K Swan, ENS, USNR.

20-24: MOORED AS BEFORE.

H K Swan, ENS, USNR.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LT G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE THURSDAY 18 OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	160	3	6	BKN	29.79	74	71	8	1050	SC			
02	135	3	6	BKN	29.80	74	71	8	1050	SC			
03	080	2	6	L	29.81	75	72	10	1050	SC			
04	045	2	6	L	29.81	75	72	10	1050	SC			
05	050	2	6	L	29.81	75	73	10	700	SC			
06	050	2	6	L	29.81	75	73	10	700	SC			
07	045	2	7	BKN	29.82	76	73	9	1050	SC			
08	045	4	7	BKN	29.83	78	75	8	1050	SC			
09	210	12	7	BKN	29.84	80	76	8	1400	SC			
10	210	6	7	BKN	29.84	82	78	7	1400	SC			
11	210	6	7	BKN	29.84	83	79	7	1400	SC			
12	210	6	7	BKN	29.84	83	79	6	1400	CU			
13	200	5	7	BKN	29.85	80	77	7	1050	CU			
14	180	7	7	BKN	29.85	81	77	7	1400	CU			
15	140	7	7	BKN	29.85	80	77	7	1050	CU			
16	120	5	7	BKN	29.84	82	77	8	1750	CU			
17	100	5	7	BKN	29.84	80	77	8	1050	CU			
18	080	4	7	BKN	29.84	78	75	8	1050	CU			
19	080	3	7	BKN	29.84	78	75	8	1050	CU			
20	080	3	6	BKN	29.86	79	73	6	2100	CU			
21	080	2	6	SCT	29.87	79	73	5	2100	CU			
22	010	2	6	SCT	29.87	79	73	5	2100	CU			
23	015	2	6	SCT	29.87	79	73	4	2100	CU			
24	010	2	6	SCT	29.87	79	73	4	2100	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 47.4

FUEL CONSUMED 0000-2400: 352

REMARKS

ØØ-Ø4 MOORED PORT SIDE TO BERTH ALPHA FIVE, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. CONDITION YOKE SET THRU OUT THE SHIP, SOPA IS CINCPAC FLT.

J E Horton
Ens USN.

Ø4-Ø8 MOORED AS BEFORE Ø745 MUSTERED CREW AT QUARTERS ABSENTEES: NONE. Ø746 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITIONS NORMAL.

J E Horton
Ens USN.

APPROVED: C C Beed Lt. U.S.N. COMMANDING

EXAMINED: J. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 18 (Date) OCTOBER (Month) 62 TO

08-12. Moored as before. 0800. Stationed abs special sea detail 0810 completed all preparation for getting underway. Draft: forward 13'6 aft 14'. Captain and navigator on the bridge. 0814 Underway from Berth F-5 IAW with verbal order from ~~Pilot control~~ CFTG Pearl Harbor, Hawaii. To local op area. Maneuvering to clear the pier. CWO Hoffey conng and OOD. 1828 Steering various courses at various speeds standing out of Pearl Harbor Channel 1828 Passed buoy 7 abeam at dist approx 150 ft. 1830 Passed buoy 5 abeam at dist approx 200 ft. 0833 Passed buoy 3 abeam at dist approx 150 ft 0837 Exercised abs Crew at G. Quarters 0848 Entered restricted waters. 0950 Held abandon ship drill. 0959 Secured from abandon ship drill. 1000 C/C 265°. 1013 Secured from General Quarters. 1019 Held man overboard drill. 1025 Secured from man overboard drill. 1028 Maneuvering at various courses at various speed while conducting man overboard drills for OOD.

J E Hoffey CWO USN.

12-16. Underway as before. 1214. Secured from Man overboard drill C/C 305°. 1216 C/S 75 RPM 9.5 kts. 1231 C/C 335°. 1232 Entered inland waters. Set special sea detail. OOD conning. Captain and Navigator on the Bridge 1233 Commenced steering various courses at various speeds conforming to Pearl Harbor channel Passed buoy 2 abeam at dist approx 150 ft. 1251 passed buoy 4 abeam at dist approx 200 ft 1258 Passed buoy 6 abeam at dist approx 200 ft. 1304. Maneuvering to moored to berth F-5. U. S. Naval Station Pearl Harbor, Hawaii 1309 Moored. 1314 Secured special sea and anchor detail. 1320 Secured Master Gyro. Set regular inport watch.

J E Hoffey CWO USN.

16-20. Moored as before 1800 Set material Condition Yoke. 1830 Mustered abs Reserve and assistance detail.

J E Hoffey CWO USN.

20-24. Moored as before.

J E Hoffey CWO USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF96) ZONE DESCRIPTION +10W DATE FRIDAY (Day) 19 (Date) OCTOBER (Month), 19 62

~~AT/PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	015	2	4	BKN	2987	79	78	7	350	CU			
02	010	2	4	BKN	2987	79	78	7	350	CU			
03	015	3	4	BKN	2987	80	79	6	350	CU			
04	025	3	5	BKN	2987	80	79	6	350	CU			
05	170	7	7	BKN	2987	78	77	6	350	CU			
06	170	10	7	BKN	2987	78	77	6	350	CU			
07	170	7	4	L	2986	78	77	10	350	CU			
08	170	7	4	L	2986	78	77	10	350	CU			
09	170	7	4	L	2986	78	77	10	350	CU			
10	170	7	6	BKN	2986	78	77	8	350	CU			
11	170	7	6	BKN	2986	79	78	8	350	CU			
12	170	7	6	BKN	2986	82	79	8	1050	CU			
13	170	7	6	BKN	2984	82	79	8	1050	CU			
14	170	7	7	OVC	2983	80	79	9	350	CU			
15	170	7	7	OVC	2983	80	79	9	350	ST			
16	170	7	7	OVC	2982	79	78	9	350	ST			
17	170	7	6	OVC	2982	79	78	9	350	ST			
18	170	9	6	OVC	2985	79	78	9	350	ST			
19	170	9	5	OVC	2987	78	77	9	350	ST			
20	170	9	5	R	2987	78	77	9	350	ST			
21	170	8	5	R	2987	75	74	9	350	ST			
22	170	7	5	R	2987	75	74	9	350	ST			
23	170	7	4	R	2987	75	74	9	350	ST			
24	170	5	4	R	2987	74	73	9	350	ST			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400: 179

FUEL CONSUMED 0000-2400: 526

REMARKS

00-04 Moored Port Side to Berth F-5 U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled up. Material Condition Yoke set. Receiving fresh water and telephone service from the pier. Ships present include various ships and units of the U.S. Pacific Fleet, Yard and district craft. SOPA is COMSERVPAC

J.E. Hoffey CWO U.S.N.

04-08 Moored as before. 0745 Held Quarters for muster inspection and instructions; absentees none

J.E. Hoffey CWO U.S.N.

APPROVED: C.C. Reed LT U.S.N. COMMANDING

EXAMINED: R.L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Friday (Day) 19 (Date) October (Month), 19 62

0800-12 Moored as before. 0935 Set the Special Sea and Anchor detail ~~with the duty Section~~. 0948 Underway to Eastlock ~~by in accordance with CFTG Op ord 42-62~~ from Berth F-5 U.S. Naval Station Pearl Harbor, Hawaii, Captain and Navigator on the bridge OOD Canning. Maneuvering to clear the pier. 0953 Steering various courses at various speeds standing in to Pearl Harbor. Channel inwards to East Loch Pearl Harbor, Hawaii. 1020 Captain Canning 1021 maneuvering at various speeds on various courses in approaching buoy X-517 1039 Let go Port anchor with fifteen fathoms on deck ~~on following bearing after range 2685 Control Tower 2000 Island 145~~ in seven fathoms of water, mud and sand bottom. Commenced ~~ran~~ veered 2-1/2-S. 1043 Commenced hooking to buoy. 1053 Bull rope connected to Buoy. 1054 Commenced heaving in ~~to~~ Port anchor to short stay. 1059 Commenced maneuvering at various courses at various speeds to Conduct ~~Special~~. 1118. Let go ~~Fox~~ ~~following bearing after range 2748 Control Tower 245 Island 1160~~ Elk anchor from Stbd Bow. 1130 Commenced heaving on both gear wlass. 1150 Let go Stbd anchor with 10 fathoms on deck in six fathoms of water mud and sand bottom. on following bearing after range 3470 Control Tower 202 Island 156°

J. Hoffey Cwo USN.

1200-16 Anchored as before. 1210 Cast off tow wire from buoy. 1222 Tow wire in aboard. 1244 Commenced maneuvering at various speed and courses to pick up Elk anchor. 1254. Commenced heaving on Elk anchor. 1400 Elk anchor aboard, Starboard anchor aweigh. 1423. Underway for Berth F-5 U.S. Naval Station Pearl Harbor, Hawaii. 1445 Commenced maneuvering at various courses at various speed to moor. Captain Canning, Navigator on the bridge. 1505 Moored secured special sea and anchor detail, set regular in port watch. Draft forward 13' Aft 16'.

J. Hoffey Cwo USN.

1600-20 Moored as before 1800 Set Material Condition Yoke throughout the ship.

A. L. Walker
LTJG USN

2000-24 Moored as before

A. L. Walker

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: A. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10W DATE SATURDAY (Day) 20 (Date) OCTOBER (Month), 19 62

~~AT/PASSAGE~~ FROM PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	170	3	3	SCT	2986	75	74	5	350	CU			
02	200	2	3	SCT	2986	75	74	5	350	SC			
03	215	2	3	BKN	2986	76	74	8	700	SC			
04	215	2	3	BKN	2986	76	74	8	700	SC			
05	220	2	4	BKN	2988	77	74	8	1050	SC			
06	220	2	7	SCT	2988	80	77	3	1050	SC			
07	260	3	7	SCT	2988	80	77	3	1050	SC			
08	290	3	7	BKN	2988	78	76	9	700	SC			
09	290	3	7	BKN	2988	78	76	9	700	SC			
10	290	3	7	BKN	2988	79	77	9	700	SC			
11	290	3	7	BKN	2987	81	78	9	1050	SC			
12	290	3	7	BKN	2987	83	79	8	1400	SC			
13	285	2	7	BKN	2987	84	80	8	1400	SC			
14	285	2	7	BKN	2987	84	80	8	1400	SC			
15	280	2	7	BKN	2986	82	79	8	1050	CU			
16	280	2	7	BKN	2986	81	79	7	700	CU			
17	280	2	7	BKN	2986	80	78	7	700	CU			
18	280	2	6	BKN	2986	78	77	7	350	CU			
19	280	2	5	BKN	2986	76	75	7	350	CU			
20	280	2	4	BKN	2986	76	75	7	350	CU			
21	280	2	4	BKN	2988	76	75	7	350	CU			
22	280	2	4	CLR	2988	76	75	2	350	CU			
23	280	2	4	CLR	2988	78	76	3	700	CU			
24	280	2	4	CLR	2988	78	76	2	700	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM _____ (ZT) (Date)

TO _____ (ZT) (Date)

SET _____

DRIFT _____

POSITION BETWEEN FIXES

MID. L _____

MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to berth A-5 U.S. Naval Station Pearl Harbor, Hawaii with standard mooring lines doubled. Material Condition Yoke is set throughout the ship. Receiving fresh water and telephone services from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is ComServPac

R. L. Walker
LTJG USN

04-08 Moored as before. 0730 Mustered the crew on stations; Absentees: none.

R. L. Walker
LTJG USN

APPROVED: C. C. Reed LT. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ADAK - ATF 96 SATURDAY (Day) 20 (Date) OCTOBER (Month) 19 62

0800-1200 MOORED AS BEFORE. 1000 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. MADE WEEKLY INSPECTION OF MAGAZINE SPRINKLER SYSTEM. CONDITION SATISFACTORY.

J E Horton
Ens USN.

1200-1600. MOORED AS BEFORE.

J E Horton
Ens USN

1600-2000 MOORED AS BEFORE. 1800 SET CONDITION YOKE THRU OUT THE SHIP.

J E Horton
Ens USN

2000-2400 MOORED AS BEFORE

J E Horton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SUNDAY (Day) 21 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	270	2	6	Set	29.88	78	76	4	700	Sc			
02	285	2	6	Set	29.88	78	76	4	700	Sc			
03	275	2	6	Set	29.88	78	76	4	700	Sc			
04	285	2	6	Set	29.88	79	76	4	1050	Sc			
05	270	2	6	Set	29.88	79	76	4	1050	Sc			
06	250	2	6	Set	29.88	79	76	4	1050	Sc			
07	200	3	7	Set	29.88	80	77	4	1050	Sc			
08	175	3	7	Set	29.88	81	77	4	1400	Sc			
09	175	3	7	Set	29.88	81	76	3	1750	Sc			
10	175	3	7	Set	29.88	81	75	3	2100	Sc			
11	175	3	7	Set	29.88	81	75	3	2100	Sc			
12	175	3	7	Set	29.87	81	75	3	2100	Sc			
13	175	3	7	Set	29.87	81	76	3	1750	Sc			
14	175	4	7	Set	29.87	81	75	3	2100	Cu			
15	135	4	7	Set	29.86	88	81	3	2450	Cu			
16	120	3	7	Set	29.84	89	84	4	1750	Cu			
17	120	3	7	Set	29.84	89	84	5	1750	Cu			
18	120	1	7	Set	29.84	88	83	4	1750	Cu			
19	120	1	6	Set	29.85	83	75	1	2800	Cu			
20	135	2	6	Set	29.86	79	73	1	2100	Cu			
21	135	2	6	Set	29.86	79	73	1	2100	Cu			
22	120	2	6	Set	29.86	79	73	1	2100	Cu			
23	120	2	6	Set	29.86	79	75	1	1400	Cu			
24	085	2	6	Set	29.86	78	75	2	1050	Cu			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED
0000-2400

FUEL CONSUMED
0000-2400

REMARKS

0000-0400 MOORED PORT SIDE TO ALPHA FIVE, WITH STANDARD MOORING LINES DOUBLED, PEARL HARBOR, HAWAII RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS ~~CINCPACFLT~~ COMSERVPAC

F. E. Norton
Ens USN

0400-0800 MOORED AS BEFORE.

F. E. Norton
Ens USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: G. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY (Day) 21 (Date) OCTOBER (Month) 19 62

ØØ-12: MOORED AS BEFORE. ØØØ5 MUSTERED THE DUTY SECTION ON STATIONS; ABSENTEES NONE. 11Ø5 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

H K Swan, ENS, USNR

12-16: MOORED AS BEFORE.

H K Swan, ENS, USNR

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE. 182Ø MUSTERED THE DUTY RESCUE AND ASSISTANCE PARTY.

H K Swan, ENS, USNR

2Ø-24: MOORED AS BEFORE.

H K Swan, ENS, USNR.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/6 U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ARNAKI (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 3d OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	050	3	6	SCT	29.86	77	73	3	1400	CU			
02	040	2	6	SCT	29.86	77	75	3	700	CU			
03	040	3	6	SCT	29.85	77	75	3	700	CU			
04	040	2	6	SCT	29.85	76	73	4	1050	CU			
05	045	1	6	SCT	29.85	74	72	3	700	CU			
06	040	1	6	SCT	29.85	73	71	5	700	CU			
07	130	2	7	BKN	29.85	74	72	7	700	CU			
08	135	1	7	BKN	29.86	80	75	7	1750	CU			
09	180	2	7	BKN	29.87	81	77	7	1400	CU			
10	175	1	7	BKN	29.87	81	78	7	1050	CU			
11	165	1	7	BKN	29.87	81	79	7	700	CU			
12	295	7	7	BKN	29.85	82	79	7	1050	CU	83	285	1
13	255	12	7	BKN	29.84	80	77	8	1050	CU	83	260	1
14	235	11	7	BKN	29.83	80	78	8	700	SC	83	270	1
15	280	7	7	BKN	29.82	79	76	8	1050	SC			
16	280	3	7	BKN	29.83	80	77	8	1050	SC			
17	025	4	7	BKN	29.84	80	77	9	1050	SC			
18	025	4	7	BKN	29.84	80	77	9	1050	SC			
19	025	4	7	BKN	29.84	80	77	9	1050	SC			
20	030	5	6	SCT	29.86	79	76	5	1050	SC			
21	0	0	6	SCT	29.88	78	75	5	1050	SC			
22	025	3	6	SCT	29.88	77	74	3	1050	SC			
23	030	3	6	SCT	29.88	77	74	4	1050	SC			
24	030	3	6	SCT	29.88	77	74	4	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
476.0

FUEL CONSUMED 0000-2400
149

REMARKS

00-04: MOORED PORT SIDE TO BERTH ALFA-FIVE (A-5), U.S. NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE IS SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD, AND DISTRICT CRAFT. SOPA IS COMSERVPAC.

[illegible], ENS, USNR

04-08: MOORED AS BEFORE. 0632 CINCPACFLT RETURNED TO PEARL HARBOR 212109W AND RESUMED DUTIES AS SOPA. 0735 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE. 0740 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. DRAFT FORWARD 13'7", AFT 16'0". 0745 SET SPECIAL SEA AND ANCHOR DETAIL.

[illegible], ENS, USNR

APPROVED: [signature] U.S.N. COMMANDING

EXAMINED: [signature] LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 22 (Date) OCTOBER (Month), 19 62

0800-1200 Moored As Before. 0804 Set Material Condition Yoke. 0811 Underway From Berth Alpha Five. In Accordance With Verbal Orders From ComSerPac Training Officer. Of 2207 45W Captain And Navigator On The Bridge. Ens Swan Has The Conn. 0812 Maneuvering On Various Courses And Speeds To Conform With Pearl Harbor Channel. 0832 Passed Bouy One Abeam To Starboard Distance 150 Feet. 0833 Secured Special Sea Detail C/C To 153° C/S To 9.5 Knts 0840 C/C 161° 0845 C/C 263° 0846 Entered International Waters 0854 C/C 195° 0914 C/C 075° 0931 Exercising Crew At General Quarters. 1037 C/C 275° 1105 Maneuvering At Various Courses And And Speeds To Approach Anchorage 13 Honolulu, Hawaii 1129 Made Daily Inspection of Magazines And Smokless Powder Samples. Conditions Normal. 1130 Entered Inland Waters 1146 Let Go Starboard Anchor In 9 Fathoms of Water, Grey Sand Bottom Secured Anchor Chain With 30 Fathom On Deck. In Anchorage 13 Honolulu, Nawaii on the following bearings: Aloha Tower 339°, Cupola 091½°, Church 043¾.

H. L. Swan, Ens USNR

1200-1600 Anchored As Before. 1235 Heaved Anchor Chain In To 15 Fathom On Deck. 1326 Heaved Around And Up On Anchor Chain 1332 Anchor Aweigh C/S To A/A 1/3 3.3 Knts 1337 C/S To 9.5 Knts C/C To 200° 1338 C/C To 250° C/S To 12.3 Knts. 1347 C/C To 045° Commenced Maneuvering At Various Courses + Speeds To Make Radar Anchorage In Anchorage 13 Honolulu Hawaii. 1411 Let Go Port Anchor In 10 Fathom of Water With Gray Sand Bottom 1413 Anchored In JSH Anchorage 13 ~~W~~ Honolulu Hawaii With 45 Fathoms of Anchor Chain on Deck. 1415 Started Heaving In Anchor. 1420 Anchor Is Aweigh. C/C To 263° C/S To 9.5 Knts. 1454 C/C To 337 1500 Set Special Sea Detail. 1502 Passed Bouy Two Abeam To Starboard Approx. 50 Yds. Captain And Navigator On The Bridge. Ens Horton Has The Conn And Deck. 1511 Maneuvering On Various Courses And Speeds To Conform With Pearl Harbor Channel. LTJG Walker Relieved Ens Horton of The Conn. 1516 Maneuvering On Various Courses And Speeds To Moor Out Board Of USCGC Buttonwood (WAGL) In Berth Alpha Five Pearl Harbor Hawaii. 1521 Moored Outboard USCGC Buttonwood In Berth Alpha Five Pearl Harbor Hawaii With Standard Mooring Lines Doubled. Commenced Receiving Fresh Water And Telephone Service From The Pier. Set Regular In Port Watch

J. E. Horton
Ens USN

1600-2000 Moored As Before 1800 Set Condition Yoke Then Out The Ship.

J. E. Hoffey CWO USN

2000-2400 Moored As Before.

J. E. Hoffey CWO USN

APPROVED: C. C. Real Lt. U.S.N. COMMANDING

EXAMINED: R. E. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI ATF 96 ZONE DESCRIPTION +10 DATE TUESDAY (Day) 23 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	Φ35	5	6	SCT	29.87	74	70	3	1400	CU			
02	Φ35	5	6	SCT	29.87	74	70	5	1400	CU			
03	Φ45	5	6	BKN	29.88	75	72	6	1050	CU			
04	Φ45	5	6	BKN	29.88	77	72	8	1750	CU			
05	Φ45	4	6	OVC	29.89	77	72	10	1750	SC			
06	Φ45	4	6	OVC	29.89	77	72	10	1750	SC			
07	Φ45	4	7	BKN	29.89	77	73	9	1400	SC			
08	Φ5Φ	3	7	BKN	29.90	76	73	9	1050	SC			
09	Φ5Φ	5	7	BKN	29.90	80	74	6	2100	SC			
10	Φ5Φ	5	7	BKN	29.91	83	75	7	2800	CU			
11	Φ45	6	7	BKN	29.92	84	76	8	2800	CU			
12	Φ45	6	7	BKN	29.93	85	77	8	2800	CU			
13	Φ45	4	7	BKN	29.93	86	78	8	2800	CU			
14	Φ45	5	7	BKN	29.92	86	77	8	3150	CU			
15	Φ45	5	7	BKN	29.92	86	75	8	3850	CC			
16	Φ6Φ	6	7	BKN	29.92	90	76	6	4900	CC			
17	Φ8Φ	6	7	BKN	29.92	86	77	6	3150	CC			
18	Φ85	6	7	BKN	29.92	86	77	6	3150	CC			
19	Φ9Φ	7	7	BKN	29.92	86	77	6	3150	CU			
20	Φ9Φ	2	6	SCT	29.94	85	76	5	1750	CU			
21	Φ9Φ	2	6	SCT	29.96	76	71	5	1750	CU			
22	Φ9Φ	2	6	SCT	29.98	76	71	4	1750	CU			
23	Φ90	2	6	SCT	29.99	76	71	3	1750	CU			
24	Φ9Φ	2	6	SCT	29.98	75	71	3	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 944

FUEL CONSUMED 0000-2400: 561

REMARKS

ΦΦ-04 MOORED PORT SIDE TO OUT BOARD OF USCGC BUTTONWOOD (W306) AT BERTH ALPHA FIVE (A-5) US NAVAL STATION, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE SET THRU OUT THE SHIP. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Hoffey CWO USN

Φ4-Φ8 MOORED AS BEFORE. Φ630 COMMENCED MAKING PREPARATIONS FOR GETTING UNDERWAY. Φ735 MUSTERED CREW AT QUARTERS: ABSENTEES NONE Φ745 STATION SPECIAL SEA DETAIL.

J E Hoffey CWO U.S.N.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Tuesday (Day) 23 (Date) October (Month), 19 62

0812 Moored as before 0844 Underway in accordance with verbal orders from Com Ser Gru to local operating area. Maneuvering to clear the pier. Captain and Navigator on the bridge. Officer of the deck conning. Steering various courses at various speed standing out of Pearl Harbor Channel. 0812 Passed buoy (7) abeam to Stbd approx 750 ft. 0814 Passed buoy (5) abeam to Stbd approx 700 ft. 0820 Passed buoy (3) abeam to Stbd approx 250 ft. 0820 passed buoy (1) abeam to Stbd approx 75 ft. 0824 Maneuvering at various courses at various speeds to swing ship. 0835 Commenced steering ship by magnetic compass. 0840 Entered into submarine waters. 0901 Steering by Gyro Compass, 110° Special ds Crew at General Quarters 0921 Gyro Compass out of Commission steering magnetic 100° mag 1032. Secured from General Quarters 1038 c 320° M 1045 c 321° M 1055 c 323° M Set Special Sea and Anchor detail. Captain Conning Navigator on the bridge. 1057 Passed buoy (2) abeam to Stbd approx 300 ft. 1103 Passed buoy (4) abeam to Stbd approx 500 ft. 1109 Made daily inspection of magazines and smoking lamps Condition normal. 1110 Passed buoy 6 abeam to Stbd approx 150 ft. 1124 Maneuvering at various courses at various speed to moor Starboard side out Board to U.S.S. Alderin (AGS-23) at berth A-6 at U.S. Naval Station Pearl Harbor, Hawaii, moored with standard mooring lines doubled up. 1132 Secured the Special Sea and Anchor detail. Set the regular in port watch.

J. P. Stoffey CWO USN.

12-16 Moored as before

R. L. Walker
2dLt USA

16-20 Moored as before 1800 Set Material Condition Yoke throughout the ship.

R. L. Walker
2dLt USA

20-24 Moored as before

R. L. Walker
2dLt USA

APPROVED: C. F. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker 2dLt U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY (Day) 24 (Date) OCTOBER (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	100	3	6	SCT	29.93	74	71	5	1050	CU			
02	100	3	6	SCT	29.94	74	71	5	1050	CU			
03	105	2	6	SCT	29.96	73	70	5	1050	CU			
04	105	2	6	SCT	29.96	73	70	5	1050	CU			
05	110	2	6	BKN	29.97	71	68	7	1050	CU			
06	115	2	6	BKN	29.98	70	67	8	1050	CU			
07	115	3	7	OVC	29.99	70	67	9	1050	SC			
08	115	3	7	BKN	30.00	72	69	7	1050	SC			
09	130	3	7	BKN	30.01	74	70	7	1400	CU			
10	145	3	7	BKN	30.01	77	73	6	1400	CU			
11	145	3	7	SCT	30.00	79	74	5	1750	CU			
12	150	3	7	SCT	30.00	81	76	5	1750	CU			
13	175	4	7	SCT	30.00	83	75	4	2800	CU			
14	170	3	7	SCT	29.98	81	73	4	2800	CU			
15	150	4	7	SCT	29.97	83	75	4	2800	CU			
16	170	4	7	SCT	29.97	83	75	4	2800	CU			
17	190	2	7	SCT	29.96	84	75	4	3150	CU			
18	195	3	7	SCT	29.99	82	74	3	2800	CU			
19	210	2	6	SCT	29.99	81	74	3	2450	CU			
20	225	1	6	SCT	30.01	79	73	3	1400	CU			
21	220	1	6	SCT	30.04	78	73	3	1750	CU			
22	220	1	6	SCT	30.04	77	73	4	1400	CU			
23	225	1	6	SCT	30.04	77	73	4	1400	CU			
24	230	2	6	SCT	30.04	76	73	5	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 73.3

FUEL CONSUMED 0000-2400: 804

REMARKS

00-04 Moored starboard side to U.S.S. Oglala (ARD-23) with standard mooring lines doubled at berth A-6 U.S. Naval Station Pearl Harbor, Hawaii. Material Condition Yoke set throughout the ship. Receiving fresh water and telephone service from the pier. Ships present include units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cinc Pac Fleet.

R. L. Walker
LT/6 USN

04-08 Moored as before 0715 Mustered the crew at quarters; Absentees: none. 0730 Stationed the Special Sea and Landing Detail. 0733 Captain and Navigator on the Bridge. 0752 Underway in accordance with ~~CTF~~ CFTG Ord 43-62 0752 Maneuvering on various engines and speeds to clear berth and conform with Pearl Harbor Channel.

R. L. Walker
LT/6 USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LT/6 U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 24 (Date) OCTOBER (Month) 62

Ø8-12 UNDER WAY AS BEFORE 0817 SECURED SPECIAL SEA & ANCHOR DETAIL 0813 C/C 153° T C/S 6.5 KTS. 0820 C/C 112° T 0821 C/S 9.5 KTS 0834 C/C 122° T 0932 ENGINEER DEPARTMENT CONDUCTING EXERCISE 0852 C/S A/H FULL 12.3 KTS 0855 C/C 070° T C/S 14.3 KTS. 0856 C/C 080° T 0858 C/C 090° T 0900 GENERAL QUARTERS 0904 CONDUCTING ENGINEERING & DAMAGE CONTROL DRILLS 0920 C/C 270° T COMPLETED ENGINEERING & D.C. DRILLS 0930 COMMENCED EXERCISE Z-10-E C/S 14.3 KTS. 0931 SECURED FROM GENERAL QUARTERS 1015 C/C 070° T 1026 EXECUTED TOWING & SALVAGE BILL C/C 065° T 1030 C/S 12.3 KTS COMMENCED EXERCISE Z-2-G 1033 C/S 9.5 KTS 1035 MANEUVERING AT VARIOUS SPEEDS ON VARIOUS COURSES IN MAKING APPROACH STBD. SIDE TO USS DELIVER (ARS 23) IN CONDUCTING EXERCISE Z-6-G 1055 COMMENCE TOWING USS DELIVER (ARS 23) C/C 168° T C/S 20 RPM. 1057 C/S 30 R.P.M C/S 20 RPM 1059 C/C R/20° RUDDER 1100 C/S 25 RPM C/C 173° T 1102 C/S 35 RPM 1106 C/S 40 RPM 1108 C/S 50 RPM 1109 C/S 60 RPM 1111 COMMENCE HEAVING IN ON TOW WIRE C/S 45 RPM 1114 C/S 30 RPM C/S 20 RPM 1116 C/S ALL STOP 1117 C/S 10 RPM C/C 188° T C/S ALL STOP 1118 LET GO TOWING PENNANT 1120 PENNANT ABOARD COMPLETED EXERCISE Z-2-G 1147 SHOTLINE OVER 1149 MESSENGER ABOARD

J H De Jonge BM1

12-16 UNDERWAY AS BEFORE RECEIVING TOW WIRE FROM USS DELIVERER (ARS-23) 1200 TOW WIRE CONNECTED UP. 1201 TOW WIRE CAST OFF 1208 TOW WIRE MESSENGER CLEAR OF THE SHIP. C/C TO 270° C/S TO 9.5 KNTS. 1235 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. 1238 C/C 290° C/S TO 6 KNTS. 1250 GYRO REPEATER IN PILOT HOUSE OUT OF ORDER. 1300 GYRO REPAIRED 1306 C/C TO 103° 1309 COMMENCED EXERCISE Z-6-N AND Z-10-CC WITH USS DILIVERER (ARS-23). 1410 C/C TO 123° PROCEEDING TO PICK UP SIMULATED SURVIVOR 1411 C/C TO 122° SECURED FROM Z-10-CC 1418 C/S TO 3.3 KNTS. 1420 MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH AND RECOVER SIMULATED SURVIVOR. 1430 RECOVERED SIMULATED SURVIVOR. 1432 C/C TO 296° 1438 C/C TO 281°. 1441 C/C TO 296° C/S TO 13.4 KNTS 1447 C/C TO 311°. 1451 C/C TO 226° 1454 C/C TO 341 1457 C/S TO 12.3 KNTS. 1500 C/C TO 267° 1502 COMMENCED MAN OVER BOARD DRILL. MANUEVERING ON VARIOUS COURSES AND SPEEDS TO RECOVER DUMMY. 1511 RECOVERED DUMMY. SECURED FROM MAN OVERBOARD DRILL. 1513 C/C TO 300° 1519 C/C TO 333° 1523 C/C TO 334° 1525 SET SPECIAL SEA AND ANCHOR DETAIL CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENS HORTON HAS DECK AND CONN. 1534 PASSED BOUY NUMBER 2 ABEAM TO STBD APROX 50 YDS. MANEUVERING ON VARIOUS COURSES TO CONFORM WITH PEARL HARBOR CHANNEL. 1550 PASSED BOUY NUMBER 6 ABEAM TO STBD APROX 20 YDS. 1554 MANEUVERING ON VARIOUS COURSES AND SPEED TO APPROACH BERTH ALPHA TWO OUT BOARD OF USCGC BUTTONWOOD (WAGB 306).

L C Horton

Ens USN

APPROVED: C C Reed LT U.S.N. COMMANDING

EXAMINED: R L Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS _____ ZONE DESCRIPTION _____ DATE _____ , 19 _____
(Day) (Date) (Month)

AT/PASSAGE FROM _____ TO _____

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISI-BIL-ITY (Miles)	WEATH-ER (Sym-bols)	BAROM-ETER (Inches)	TEMPER-ATURE		CLOUDS			SEA WATER TEMPER-ATURE	WAVES	
	DIREC-TION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIREC-TION (True)	HEIGHT (Feet)
01													
02													
03													
04													
05													
06													
07													
08													
09													
10													
11													
12													
13													
14													
15													
16													
17													
18													
19													
20													
21													
22													
23													
24													

POSITION	ZONE	TIME
0800		
L _____		BY _____
λ _____		BY _____
1200		
L _____		BY _____
λ _____		BY _____
2000		
L _____		BY _____
λ _____		BY _____

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA
FROM _____ (ZT) (Date)
TO _____ (ZT) (Date)
SET _____
DRIFT _____
POSITION BETWEEN FIXES
MID. L _____
MID. λ _____

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

APPROVED: _____ U.S.N. COMMANDING

EXAMINED: _____ U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) WEDNESDAY (Day) 24 (Date) OCTOBER (Month) 19 62

JEH 16-20 ~~Moored~~ Underway as before. 1600 Moored Portside To USCGC Buttonwood (W306) In Berth Alpha ~~For~~ Two Pearl Harbor Hawaii With Standard Mooring Lines Doubled. Receiving Fresh Water And Telephone Service From The Pier. 1800 Set Condition Yoke Thru Out The Ship. JEH

J E Horton
Ens USN.

20-24 Moored As Before.

J E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walper Lt/G U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABWAKI (ATF 96) ZONE DESCRIPTION 10 DATE THURSDAY 25 OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND DIRECTION (True)	WIND SPEED (Knots)	VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE Dry Bulb	TEMPERATURE Wet Bulb	CLOUDS Amount (Tenths)	CLOUDS Height	CLOUDS Type	SEA WATER TEMPERATURE	WAVES DIRECTION (True)	WAVES HEIGHT (Feet)
01	330	2	6	SCT	30.03	76	73	4	1050	CU			
02	340	1	6	SCT	30.04	75	72	4	1050	CU			
03	355	1	6	SCT	30.04	74	71	4	1050	CU			
04	300	1	6	SCT	30.03	73	70	3	1050	CU			
05	040	2	6	SCT	30.02	72	69	2	1050	CU			
06	030	1	6	SCT	30.04	71	68	2	1050	CU			
07	030	2	7	SCT	30.04	70	67	2	1050	CU			
08	060	3	7	SCT	30.04	74	71	2	1050	CU			
09	335	6	7	SCT	30.04	77	71	2	2100	CU			
10	190	6	7	SCT	30.04	86	75	2	3850	CU			
11	040	3	7	SCT	30.03	80	74	2	2100	CU	81	170	2
12	110	3	7	SCT	30.03	81	75	2	2100	CU	81	165	2
13	090	4	7	SCT	30.02	82	75	3	2450	CU	82	150	2
14	070	3	7	SCT	30.01	82	75	3	2450	CU	82	145	2
15	055	4	7	SCT	30.00	82	75	3	2450	CU	83	145	2
16	035	5	7	SCT	29.98	82	75	3	2450	CU	83	135	2
17	045	2	7	SCT	29.98	77	77	3	3500	CU	83	135	2
18	050	4	7	SCT	29.99	80	73	3	2450	CU	83	135	2
19	050	4	6	SCT	30.02	75	71	4	1400	CU			
20	055	4	6	SCT	30.04	75	71	4	1400	CU			
21	055	4	6	SCT	30.04	74	70	4	1400	CU			
22	040	4	6	SCT	30.05	74	70	4	1400	CU			
23	040	4	6	SCT	30.05	72	69	4	1050	CU			
24	040	4	6	SCT	30.04	71	68	4	1050	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L 20-54.7N		BY 3
λ 157-49.7W		BY 3
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 134.8

FUEL CONSUMED 0000-2400: 1243

REMARKS

00-04 MOORED PORSIDE TO, OUT BOARD OF USCGC BATTON-WOOD (WAGB 306) IN BERTH ALPHA TWO, PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER., CONDITION YOKE SET THRU OUT THE SHIP. SHIP PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

J E Horton
Ens USN

04-08 MOORED AS BEFORE. 0730 MUSTERED CREW AT QUARTERS ABSENTEES NONE. OBSERVERS FOR GUNNERY EXERCISE CAME ABOARD. 0742 SET SPECIAL SEA AND ANCHOR DETAIL, CAPTAIN AND NAVIGATOR ON THE BRIDGE. ENS. SWAN HAS THE CONN.

J E Horton Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) THURSDAY (Day) 25 (Date) OCTOBER (Month) 1962

08-12: MOORED AS BEFORE. 0801 SET MATERIAL CONDITION YOKE. 0808 UNDERWAY FROM BERTH ALFA-HKS 2 IN ACCORDANCE WITH COMFLE-TRAGRU PEARL WEEKLY OPORD 43-62. COMMENCED MANEUVERING AT VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0821 SECURED THE SPECIAL SEA AND ANCHOR DETAIL. 0826 PASSED BOUY NR ONE TO STARBOARD, DISTANCE 200 FEET. 0843 ENTERED INTERNATIONAL WATERS. 0849 C/C 062°. 0902 C/C 060°. 0902 COMMENCED SCHEDULED EXERCISE Z-14-CC, COMMANDING OFFICER, U.S.S. ABNAKI (ATF-96) OCE. MANEUVERING AT VARIOUS COURSES AND SPEEDS TO APPROACH ANCHORAGE 13, HONOLULU, HAWAII. 0910 SET THE SPECIAL SEA AND ANCHOR DETAIL. 0914 ENTERED INLAND WATERS. 0926 ANCHORED IN 22 FATHOMS OF WATER, GREY SAND BOTTOM, WITH 30 FATHOMS OF CHAIN TO THE PORT ANCHOR AT ANCHORAGE 13, HONOLULU, HAWAII. ON THE FOLLOWING BEARINGS: ALOHA TOWER 348½, HOTEL CUPOLA 090½, LARONDE 045¼. 0934 UNDERWAY FROM ANCHORAGE 13. 0936 C/S 3.3 KTS 0937 C/S 9.5 KTS. 0940 SECURED SEA AND ANCHOR DETAIL. 0943 C/S 13.3 KTS. 0947 C/C 240°. 0948 ENTERED INTERNATIONAL WATERS. 1009 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL. 1015 C/C 115°. 1025 C/C 100° 1056 C/C 180°. 1130 C/C 173°.

J. L. Sullivan, ENS, USNR.

12-16 Underway as before 1230 C/C to 185° 1234 C/S to 12.3 kts C/C to 215° 1243 Exercised crew at general quarters. Set Condition Zebra 1254 C/S to 13.3 kts C/C to 055° 1301 C/C to 050° 1306 C/C to 075° C/S to ~~30 kts~~ 6.7 kts 1310 Commenced 2-21-6 C/S to 7.7 kts. 1315 C/S to 3.3 kts. 1319 Completed 2-21-6 C/S to 13.3 kts. C/C to 072° 1346 C/C to 258° C/S to 5 kts. 1355 Commenced 2-27-6 1357 C/S to 13.3 kts. C/C to 103° 1404 C/C to 088° 1409 C/C to 095° 1417 C/C to 117° 1421 C/C to 130° 1424 C/C to 165° 1427 C/C to 201° 1429 C/C to 255° 1435 C/S to 5 kts. 1437 Completed 2-27-6 1438 C/S to 13.3 kts. C/C to 070° 1448 C/C to 180° C/S to 9.5 kts. 1450 C/S to 3.3 kts C/C to 270° 1457 C/S to 12.3 kts. 1458 C/S to 13.3 kts. 1501 Set Condition Yoke. Secured from General Quarters. Ammo expended 24 rounds AA Commun. no casualties. 1540 C/C to 090° 1555 C/C to 256° 1556 C/C to 270° 1558 C/C to 306°

J. L. Wells
LTJG USN

16-20 Underway as before 1602 C/C 320°, 1605 C/C 340°, 1609 C/C 000°, 1808 C/C 320° ~~16-20~~ 1812 C/C 308°. 1817 Commenced making preparation for entering port. 1838 C/C 387° 1839 Entered Inland waters C/C 337°. Set special sea and anchor detail Captain Canning Navigator on the Bridge OOD Ens Wells, making various course and speed changes to conform with Pearl Harbor Channel. 1850 Passed buoy (2) approx 30 yds. 1855 Passed buoy (4) approx 35 yds. 1859 passed buoy (6) approx 90 yds. 1904. making approach port side to U.S.C.G.S Buttonwood (W306). 1909 moored Port side U.S.C.G.S Buttonwood (W306) BERTH A-2 1910. Secured sea detail. Set in port watch

20-24: MOORED AS BEFORE.

J. L. Wells OOD

H. J. Sullivan, ENS, USNR.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: J. L. Wells LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE FRIDAY 26 OCTOBER (Day) (Date) (Month), 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	3	6	SCT	30.04	71	68	4	1050	CU			
02	040	3	6	SCT	30.04	71	68	4	1050	CU			
03	040	3	6	SCT	30.04	71	68	4	1050	CU			
04	040	2	6	SCT	30.03	71	68	4	1050	CU			
05	035	2	6	SCT	30.03	70	67	4	1050	CU			
06	010	2	6	SCT	30.04	70	67	3	1050	CU			
07	010	2	7	SCT	30.04	71	68	3	1050	CU			
08	015	2	7	SCT	30.03	72	69	3	1050	CU			
09	010	2	7	SCT	30.03	75	70	2	1750	CU			
10	345	2	7	SCT	30.02	78	73	2	1750	CU			
11	330	2	7	SCT	30.01	79	73	2	2100	CU			
12	310	3	7	SCT	30.00	82	73	2	3150	CU			
13	280	3	7	SCT	30.00	81	73	2	3500	CU			
14	255	3	7	SCT	29.98	82	72	3	3500	CC			
15	235	3	7	SCT	29.97	82	72	3	3500	CC			
16	210	3	7	SCT	29.96	83	71	4	4200	CC			
17	180	3	7	SCT	29.97	80	72	3	3500	CC			
18	190	3	7	SCT	29.98	77	74	3	1050	CU			
19	190	3	7	SCT	29.99	77	74	3	1050	CU			
20	190	3	6	SCT	29.99	76	73	3	1050	CU			
21	190	2	6	SCT	30.00	76	73	3	1050	CU			
22	190	2	6	SCT	30.00	74	71	3	1050	CU			
23	195	2	6	SCT	30.01	74	71	3	1050	CU			
24	195	2	6	SCT	30.02	73	70	3	1050	CU			

POSITION	ZONE	TIME
0800		
L	BY	
λ	BY	
1200		
L	BY	
λ	BY	
2000		
L	BY	
λ	BY	

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400: 41.7

FUEL CONSUMED 0000-2400: 673

REMARKS

00-04: MOORED PORT SIDE TO USCGC BUTTONWOOD (WAGL-306) AT BERTH ALFA-TWO (A-2), U.S. NAVAL STATION, PEARL HARBOR, HAWAII, WITH 4 STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W.E. SWAN, ENS, USNR.

04-08: MOORED AS BEFORE. 0700 MUSTERED THE CREW AT QUARTERS, ABSENTEES NONE. 0705 LCDR HERBERT A. MAY, 323184, USN AND 19 ASSISTANTS FROM FLETRAGRU PEARL REPORTED ABOARD AS OBSERVERS FOR OPERATIONAL READINESS INSPECTION BATTLE PROBLEM. 0715 SET MATERIAL CONDITION YOKE. CAPTAIN AND NAVIGATOR ON THE BRIDGE. 0720 SET THE SPECIAL SEA AND ANCHOR DETAIL. CAPTAIN AND NAVIGATOR ON THE BRIDGE CAPTAIN WAS THE CONN. 0730 UNDERWAY FROM BERTH ALFA-TWO IN

APPROVED: C C Read Lt. U.S.N. COMMANDING

EXAMINED: [signature] LT U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) FRIDAY 26. OCTOBER 19 42
(Day) (Date) (Month)

0400-0800 - ACCORDANCE WITH FLETRAGRU OPORD 43-42, TO LOCAL OPS AREA. MANEUVERING ON VARIOUS COURSES AND SPEEDS TO CONFORM WITH PEARL HARBOR CHANNEL. 0735 PASSED BOUY NINE ABEAM TO STBD. APROX. 30YDS ON COURSE 153° SPEED 9.5 KNOTS. 0737 ENS HORTON RELIEVED CAPTAIN [illegible] OF CONN AND DECK C/C TO 154° C/S A/STOP SHIFTED MOTOR CONTROL TO MOTOR ROOM C/S TO 9.5 KNOTS. 0742 C/S TO 8 KNOTS. 0745 SECURED SPECIAL SEA DETAIL 0746 C/C 152° ENTER SIMULATED SWEPT MINE FIELD. MANEUVERING ON VARIOUS COURSES TO TRANSIT SWEPT MINE FIELD * 0801 ENTERED INTERNATIONAL WATERS. 0828 CLEARED SIMULATED SWEPT MINE FIELD C/S TO A/STOP. 0853 C/S TO 6.7 KNOTS C/C TO 161° 0855 COMMENCED BATTLE PROBLEM OBSERVED BY FLTTRAGRU OBSERVERS. 0856 C/S TO 9 KNOTS. 0859 EXERCISED CREW AT GENERAL QUARTERS. COMMENCED MANEUVERING ON VARIOUS COURSES AND SPEEDS AS NECESSARY TO CONDUCT BATTLE PROBLEM. 1035 SECURED FROM BATTLE PROBLEM. SECURED FROM GENERAL QUARTERS. 1100 ENTERED INLAND WATERS ON COURSE 335° SPEED 9.5 KNOTS. 1102 C/C TO 337° 1107 C/C TO 334° 1108 SET SPECIAL SEA DETAIL. 1111 PASSED BOUY TWO ABEAM TO STBD APROX 30YDS. ON COURSE 336° SPEED 9.5 KNOTS. 1112 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES CONDITIONS NORMAL. 1113 C/S A/STOP SHIFTED MOTOR CONTROL TO THE BRIDGE C/S A/A 9.5 KNOTS. MANEUVERING ON VARIOUS COURSES AND SPEED TO APPROACH BERTH ALPHA TWO AND MOOR OUTBOARD OF USCGC BUTTONWOOD (W306) 1129 MOORED PORT SIDE TO OUTBOARD OF USCGC BUTTONWOOD IN BERTH ALPHA TWO WITH STANDARD MOORING LINES DOUBLED. 1137 SECURED SPECIAL SEA DETAIL

JC Horton
Ens USN

12-16. Moored as before 1216. Fleet TRACRU PEARL departed ~~12-16~~ 1255 Set special sea and anchor detail 1300 Captain and Navigator on the Bridge 1305 Underway IAW Verbal orders from Port Control, from Berth A-2 to S-17. Maneuvering at various course and speed changes to conform with Pearl Harbor Channel. 1323 Passed bouy (20) abeam to Stbd approx 20 yds Lt jg Walter Canning 1325 Passed bouy (22) abeam to Stbd approx 20 yds. 1330. Making various course and speed changes to approach Berth S-17. U.S. Naval Submarine Base Pearl Harbor, Hawaii 1345. Moored Port side to S-17 With standard mooring line doubled up. 1350 Secured Special sea and anchor detail, set in port watch 1430 Commenced pumping Diesel Z-42-S.

JE Hoffey CWO USN

16-20. Moored as listed. 1637 Secured from Pumping Diesel Z-42-S. 1644 Commenced taking on fuel Draft Fwd 13'2" Aft 16'2" 1800 Set material Condition Zebra. 1825 Shifted to Shore power. 1940 Secured from fueling, Received on board 15.000 gals of diesel oil draft Fwd 13'6" Aft 16'4"

JE Hoffey CWO USN

20-24. Moored as before.

JE Hoffey CWO USN

APPROVED: CC Reed Lt U.S.N. COMMANDING

EXAMINED: R L Walker LtJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE SATURDAY 27 OCTOBER (Day) (Date) (Month), 19 62

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	195	1	6	SCT	30.01	74	71	2	1850	CU			
02	190	1	6	SCT	30.00	75	72	2	1850	CU			
03	190	1	6	SCT	30.00	75	72	2	1850	CU			
04	190	1	6	SCT	30.00	76	73	2	1850	CU			
05	190	1	6	SCT	30.00	76	73	2	1850	CU			
06	190	1	6	SCT	30.00	76	72	2	1400	CU			
07	0	0	7	SCT	30.00	75	72	2	1850	CU			
08	0	0	7	SCT	30.00	75	71	2	1400	CU			
09	0	0	7	SCT	30.02	81	74	2	2450	CU			
10	190	5	7	SCT	30.02	82	74	2	2300	CU			
11	220	2	7	SCT	30.02	81	75	2	2100	CU			
12	220	4	7	SCT	30.00	82	73	2	3150	CU			
13	230	4	7	SCT	29.95	83	74	2	3150	AC			
14	255	6	7	SCT	29.95	85	74	4	3850	CI			
15	270	4	7	SCT	29.94	95	77	5	6200	CI			
16	270	2	7	SCT	29.94	90	76	4	4900	CI			
17	270	3	7	SCT	29.94	85	73	5	4200	CI			
18	265	4	7	SCT	29.94	81	74	3	2450	CC			
19	265	1	6	SCT	29.96	79	75	4	1400	CU			
20	265	1	6	SCT	29.97	79	75	2	1400	CU			
21	265	2	6	SCT	29.99	79	75	2	1400	CU			
22	270	2	6	SCT	29.99	79	75	2	1400	CU			
23	270	2	6	SCT	29.99	79	75	2	1400	CU			
24	285	3	6	SCT	29.99	79	75	2	1400	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to Berth S-17 at U.S. Naval Submarine Base Pearl Harbor, Hawaii with standard mooring lines doubled up. Material Condition Yoke set. Receiving the following service from the pier: fresh water, electrical power and telephone service. Ships present include various units and ships of the U.S. Pacific Fleet. SOPA is Commander in Chief U.S. Pacific Fleet.

J. E. Hoffey CWO U.S.N.

04-08 Moored as before. 0745 mustered duty sections on station; absentees none.

J. E. Hoffey CWO U.S.N.

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) Saturday (Day) 27 (Date) October (Month), 19 62

0800-12 Moored as before. 1113 Made daily inspection of magazines and smokeless powder samples; Conditions: normal.

R. L. Walker
LTJG USN

12-16 Moored as before.

R. L. Walker
LTJG USN

16-20 Moored as before. 1800 Set material Condition Yoke throughout the ship.

R. L. Walker
LTJG USN

20-24 Moored as before.

R. L. Walker
LTJG USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS Arnaki (ATF-96) ZONE DESCRIPTION +10 DATE Sunday 28 October, 19 60
(Day) (Date) (Month)

AT/PASSAGE FROM Pearl Harbor, Hawaii TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	285	6	6	SCT	29.98	75	72	3	1050	CU			
02	280	2	6	H	29.99	75	73	10	700	ST			
03	275	2	6	HZ	29.98	74	72	10	700	ST			
04	275	2	6	OVC	29.98	74	72	10	700	ST			
05	275	2	6	OVC	29.99	75	72	10	1050	ST			
06	280	2	6	OVC	29.98	75	72	10	1050	ST			
07	280	2	7	OVC	29.98	76	73	10	1050	ST			
08	280	1	7	OVC	29.99	79	76	10	1050	ST			
09	280	1	7	OVC	29.99	79	76	10	1050	SC			
10	280	1	7	OVC	29.99	79	76	10	1050	SC			
11	280	1	7	OVC	29.99	79	76	10	1050	SC			
12	010	3	7	OVC	29.99	80	77	9	1050	SC			
13	005	6	7	OVC	29.98	80	76	9	1400	SC			
14	020	3	7	BKN	29.97	82	77	8	1750	SC			
15	025	3	7	BKN	29.96	82	78	7	1400	SC			
16	000	3	7	BKN	29.98	81	77	7	3500	SC			
17	000	3	7	OVC	29.98	81	77	9	3500	SC			
18	350	2	7	OVC	29.98	84	74	9	3500	SC			
19	345	1	6	OVC	29.98	80	73	10	4450	SC			
20	000	2	6	OVC	29.98	76	74	10	700	SC			
21	010	2	6	OVC	29.98	76	73	9	1050	SC			
22	010	2	6	OVC	29.98	76	73	9	1050	SC			
23	015	2	6	BKN	29.98	76	73	6	1050	SC			
24	025	3	6	SCT	29.99	74	71	4	1050	SC			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 Moored port side to berth S-17 U.S. Naval Station, Pearl Harbor, Hawaii with standard mooring lines flaked. Material condition Yoke in effect throughout the ship. Receiving fresh water, ~~fire and flushing mains~~, and telephone service from the pier. Ship's guard includes units of the U.S. Pacific Fleet and various yard and district craft. SOPA is Cincpac Fleet.

R. L. Walker
LTJG USN

4 ~~00~~ 04-08 Moored as before

R. L. Walker
LTJG USN

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R. L. Walker LTJG U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) SUNDAY 28 OCTOBER 19 62
(Day) (Date) (Month)

0800 MOORED AS BEFORE. 0800 MUSTERED CREW ON STATIONS. ABSENTEES NONE. 1035 MADE DAILY INSPECTION OF MAGAZINES AND SMOKELESS POWDER SAMPLES. CONDITION NORMAL

J E Hartin
Lcdr USN

1200-1600 MOORED AS BEFORE

J E Hartin
Lcdr USN

1600-2000 MOORED AS BEFORE 1800 SET CONDITION
VOICE THRU OUT THE SHIP

J E Hartin
Lcdr USN

2000-2400 MOORED AS BEFORE

J E Hartin
Lcdr USN.

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: R L Walker 4/C U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ATOKA (ATF-96) ZONE DESCRIPTION +10 DATE MONDAY 29 OCTOBER (Day) (Date) (Month), 19 59

AT/~~PASSAGE~~ FROM PEARL HARBOR, HAWAII TO

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	0	0	6	Set	29.98	73	70	2	1050	SC			
02	095	2	6	Set	29.98	73	70	2	1050	SC			
03	090	1	6	Set	29.98	73	70	2	1050	SC			
04	090	2	6	Set	29.98	72	69	2	1050	SC			
05	095	2	6	Set	29.97	74	70	3	1400	SC			
06	0	0	6	Set	29.97	75	71	1	1400	SC			
07	0	0	7	Set	29.98	75	71	1	1400	CU			
08	0	0	7	Set	29.99	77	74	3	1050	CU			
09	0	0	7	Set	29.99	77	74	3	1050	CU			
10	270	4	7	Set	30.00	79	74	4	1750	CU			
11	240	3	7	Set	30.00	80	74	4	2100	CU			
12	220	2	7	Set	30.00	80	74	5	2100	CU			
13	220	2	7	Set	29.99	81	74	4	2450	CU			
14	200	1	7	Set	29.97	82	74	3	2800	CU			
15	130	4	7	Set	29.97	82	74	2	2800	CU			
16	170	6	7	Set	29.96	83	74	2	3150	CU			
17	165	4	7	Set	29.96	81	72	2	3150	CU			
18	165	3	7	Set	29.96	80	71	2	3150	CU			
19	160	3	6	Set	29.97	79	71	3	2800	CU			
20	160	3	6	Set	30.00	78	70	2	2800	CU			
21	160	4	6	Set	30.00	76	70	2	2100	CU			
22	160	3	6	Set	30.00	76	70	2	2100	CU			
23	040	2	6	Set	30.02	75	70	2	1750	CU			
24	040	2	6	Set	30.02	75	70	3	1750	CU			

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L		BY
λ		BY

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM (ZT) (Date)

TO (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400

FUEL CONSUMED 0000-2400

REMARKS

00-04 MOORED PORT SIDE TO BERTH SIERRA SEVENTEEN (S-17) PEARL HARBOR HAWAII WITH STANDARD MOORING LINES DOUBLED. RECEIVING FRESH WATER AND TELEPHONE SERVICE FROM THE PIER. CONDITION YOKE SET THRU OUT THE SHIP. SHIPS PRESENT INCLUDE VARIOUS UNITS OF US PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINC PACFLT.

J E Horton
Ens USN

04-08 MOORED AS BEFORE. 0745 MUSTERED CREW AT QUARTERS: ABSENTEES NONE

J E Horton
Ens USN

APPROVED: C C Reed Lt. U.S.N. COMMANDING

EXAMINED: [illegible] Lt/G U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) MONDAY (Day) 29 (Date) OCTOBER (Month) 19 62

ØØ-12: MOORED AS BEFORE. 11Ø5 MADE DAILY INSPECTIONS OF MAGAZINES AND SMOKELESS POWDER SAMPLES; CONDITIONS NORMAL.

W K SWAN. ENS, USNR

12-16: MOORED AS BEFORE.

W K SWAN, ENS, USNR

16-2Ø: MOORED AS BEFORE. 18ØØ SET MATERIAL CONDITION YOKE.

W K SWAN, ENS, USNR

2Ø-24: MOORED AS BEFORE

W K SWAN, ENS, USNR

APPROVED:

C C Reed Lt. U.S.N. COMMANDING

EXAMINED:

R. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE TUESDAY (Day) 30 (Date) OCTOBER (Month) 19 62

AT/~~PASSAGE FROM~~ PEARL HARBOR, HAWAII ~~TO~~

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY	WEATHER	BAROMETER	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (knots)	(Miles)	(Symbols)	(Inches)	Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	035	2	6	SCT	30.02	75	70	3	1750	CU			
02	035	2	6	SCT	30.02	74	70	3	1400	CU			
03	040	1	6	SCT	30.03	74	70	3	1400	CU			
04	045	1	6	SCT	30.03	73	69	3	1400	CU			
05	045	1	6	SCT	30.03	72	69	3	1050	CU			
06	050	1	6	SCT	30.04	72	69	3	1050	CU			
07	050	1	7	SCT	30.04	73	70	3	1050	CU			
08	055	1	7	SCT	30.05	76	72	3	1400	CU			
09	055	1	7	SCT	30.06	81	74	3	2450	CU			
10	070	1	7	SCT	30.04	84	76	2	2800	CU			
11	085	1	7	SCT	30.03	84	76	2	2800	CU			
12	100	3	7	SCT	30.02	84	75	2	3150	CU			
13	110	3	7	SCT	30.02	84	75	3	3150	CU			
14	115	4	7	SCT	30.01	85	75	4	3500	CU			
15	125	3	7	BKN	30.00	85	75	6	3500	CU			
16	130	3	7	BKN	30.00	84	76	7	2800	CU	84	120	2
17	130	3	7	BKN	30.00	83	75	7	2800	CU	84	120	2
18	095	4	7	BKN	30.02	81	74	6	2450	CU	84	120	2
19	075	6	7	SCT	30.03	80	74	4	2100	CU	84	120	2
20	040	6	6	SCT	30.04	78	74	2	1400	CU	84	120	2
21	050	7	6	SCT	30.05	78	74	2	1400	CU	84	120	2
22	045	5	6	SCT	30.06	78	74	2	1400	CU	84	120	2
23	045	5	6	SCT	30.06	78	74	1	1400	CU	84	120	2
24	040	4	6	SCT	30.05	78	75	3	1050	CU	84	120	2

POSITION	ZONE	TIME
0800		
L		BY
λ		BY
1200		
L		BY
λ		BY
2000		
L 20-58 N		BY 2
λ 158-22 W		BY 2

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA	
FROM	(ZT) (Date)
TO	(ZT) (Date)
SET	
DRIFT	

POSITION BETWEEN FIXES

MID. L

MID. λ

MILES STEAMED 0000-2400
109.4

FUEL CONSUMED 0000-2400
2187

REMARKS

00-04: MOORED PORT SIDE TO BERTH S-17, U.S. NAVAL SUBMARINE BASE, PEARL HARBOR, HAWAII WITH STANDARD MOORING LINES DOUBLED. MATERIAL CONDITION YOKE SET. RECEIVING FRESH WATER AND TELEPHONE SERVICES FROM THE PIER. SHIPS PRESENT INCLUDE VARIOUS UNITS OF THE U.S. PACIFIC FLEET, YARD AND DISTRICT CRAFT. SOPA IS CINCPACFLT.

W.W. Swan, ENS, USNR

04-08: MOORED AS BEFORE. 0745 MUSTERED THE CREW AT QUARTERS; ABSENTEES NONE.

W.W. Swan, ENS, USNR.

APPROVED: C.C. Reed LT. U.S.N. COMMANDING

EXAMINED: R.L. Walker LT/C U.S.N. NAVIGATOR

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

ADDITIONAL REMARKS

UNITED STATES SHIP ABNAKI (ATF-96) TUESDAY (Day) 30 (Date) OCTOBER (Month) 19 62

08-12 Moored as before. 0847 Made daily inspection of magazine and smoke less power sample, Condition normal

J. E. Hoffey CWO U.S.N.

12-16 Moored as before. 1245 Commenced making preparation for getting underway. 1315 Set special sea detail. 1322 Captain and Navigator on the bridge O.O.D. CWO Hoffey. 1332 Underway IAW COMSERVPAC MSG 290214Z of Oct. Maneuvering to Clear Berth 17. Captain Canning. Making various Course and speed Changes to make Yankee pivot at Ford Island Pearl Harbor, Hawaii to take in Tow YFN B-137 1340 C/C 332°. 1351 Making approach to hook up Barge YFNB-137. 1351 Let go Port anchor with 11 fathoms on deck in 6 fathom of water 1401 Put number (4) mooring line over. 1420 Tow pennant Inboard 1433 Towing pennant secured to barge. 1443 YTM 195 came along Port side to assist in getting underway with tow 1444 Cleared off number (4) mooring line Opt. 1447 Anchor aweigh 1448 Underway IAW COMSERVPAC MSG 290214Z of Oct with barge (YFN B-13) in tow, Captain Canning maneuvering to conform with Pearl Harbor Channel. 1500 Let off degaussing 1512 Passed buoy (9) abeam to Stbd Approx 30 yards 1526 Passed buoy (7) abeam to Stbd approx 25 yds. 1528 Passed buoy (5) abeam to Stbd approx 40 yds 1532 Passed buoy (3) abeam to Stbd approx 40 yds 1532 Passed buoy (1) abeam to Stbd approx 25 yds 1543 Secured special sea and anchor detail. Set underway watch 1546 C/C 160° 1550 Streamed tow to 500 ft. 1553 C/C 203° Entered international water 1557 C/S 80 RPM 10.1 kts

N 1558 Rendezvoused with YTB 762 and proceeding in company

J. E. Hoffey CWO U.S.N.

N 16-~~18~~ 20 UNDERWAY AS BEFORE. 1600 C/S 11.3 KTS. 1607 C/S 12.3 KTS. 1608 C/C 190°. 1616 C/C 203°. 1611 C/S 13.3 KTS. 1613 C/S 12.3 KTS. 1615 C/S 11.3 KTS. 1618 C/S 10.1 KTS. 1619 C/S 8.9 KTS. 1621 C/S 7.7 KTS. 1623 C/S 6.7 KTS. 1625 C/S 7.7 KTS. 1627 STREAMED TOW TO 1500 FEET. 1628 C/S 10.1 KTS. 1630 C/S 11.3 KTS. 1822 C/C to 270° C/S to 12.8 kts. 1924 C/C to 244° N

W. L. Swan, ENS, USNR

20-24 UNDERWAY AS BEFORE

L. E. Horton Jr. USN.

APPROVED: C. C. Reed Lt. U.S.N. COMMANDING

EXAMINED: L. L. Walker LTJG U.S.N. NAVIGATOR

TO BE FORWARDED TO THE BUREAU OF NAVAL PERSONNEL AT THE END OF EACH MONTH

Digital Surrogate of NARA Original Record - NND 927605

FOR OFFICIAL USE ONLY

NAVPERS 720 (Rev. 4-56)

DECK LOG SHEET - TYPE B

USS ABNAKI (ATF-96) ZONE DESCRIPTION +10 DATE WEDNESDAY 31, OCTOBER, 19 62
(Day) (Date) (Month)

AT/PASSAGE FROM PEARL HARBOR, HAWAII TO JOHNSTON ISLAND

WEATHER OBSERVATIONS

ZONE TIME	WIND		VISIBILITY (Miles)	WEATHER (Symbols)	BAROMETER (Inches)	TEMPERATURE		CLOUDS			SEA WATER TEMPERATURE	WAVES	
	DIRECTION (True)	SPEED (Knots)				Dry Bulb	Wet Bulb	Amount (Tenths)	Height	Type		DIRECTION (True)	HEIGHT (Feet)
01	040	6	6	SCT	30.04	78	75	2	1050	CU	84	130	3
02	040	6	6	SCT	30.02	78	75	2	1050	CU	84	135	3
03	035	6	6	SCT	30.01	78	74	2	1400	CU	84	135	3
04	030	5	6	SCT	30.00	78	74	2	1400	CU	84	090	3
05	060	6	6	SCT	30.00	78	73	4	1750	CU	84	090	3
06	090	7	6	SCT	30.00	78	73	4	1750	CU	84	090	3
07	075	8	7	SCT	30.02	80	75	2	1750	CU	84	090	3
08	060	8	7	SCT	30.04	80	74	4	2100	CU	84	080	3
09	035	6	7	SCT	30.04	81	75	4	2100	CU	84	080	3
10	035	6	7	SCT	30.02	82	75	4	2450	CU	84	080	3
11	005	8	7	SCT	30.02	83	75	4	2800	CU	84	080	4
12	010	8	7	SCT	30.02	84	76	4	2800	CU	84	095	4
13	015	8	7	BKN	30.00	81	75	6	2100	CU	84	095	4
14	025	8	7	BKN	29.98	81	75	6	2100	CU	84	095	4
15	035	8	7	SCT	29.96	84	77	4	2450	CU	84	095	4
16	030	9	7	SCT	29.94	81	75	3	2100	CU	84	080	4
17	035	9	7	SCT	29.94	80	75	3	1750	CU	84	080	4
18	040	11	7	SCT	29.96	79	73	3	2100	CU	84	080	4
19	045	10	6	SCT	29.96	79	74	4	1750	CU	84	080	4
20	040	10	6	SCT	29.98	79	74	4	1750	CU	84	080	4
21	040	10	6	SCT	29.98	79	74	4	1750	SC	84	080	4
22	040	10	6	SCT	29.98	78	73	3	1750	SC	84	080	4
23	040	10	6	SCT	29.97	78	73	2	1750	SC	82	080	4
24	040	9	6	SCT	29.97	77	73	2	1400	SC	82	085	4

POSITION	ZONE	TIME
0800 L	20-12 N	BY 1
λ	160-04 W	BY 1
1200 L	20-03 N	BY 2
λ	160-08 W	BY 2
2000 L	19-48 N	BY 1
λ	160-58 W	BY 1

LEGEND: 1 - CELESTIAL
2 - ELECTRONIC
3 - VISUAL
4 - D. R.

CURRENT DATA

FROM 0800, 31 Oct, 62 (ZT) (Date)

TO 1200, 31 Oct, 62 (ZT) (Date)

SET

DRIFT

POSITION BETWEEN FIXES

MID. L 20-07.5 N

MID. λ 160-06 W

MILES STEAMED 0000-2400: 281.2

FUEL CONSUMED 0000-2400: 2832

REMARKS

00-04. Steaming in Company with YTB 762 enroute to Johnston Island with YFNB-13 in tow. In accordance with COMSERVPAC Msg 290214Z O.T.C. is Command Officer U.S.S. Abnaki (ATF-96) Base Course 244° (T) 228° (Magnetic) Base Speed 9.0 kts 105 RPM Material Condition Yoke set, Readiness Condition III, Engineering Condition III Damage Control IV. 0715 C/C 248°

J.E. Hopley CWO U.S.N.

04-08: UNDERWAY AS BEFORE. 0703 COMMENCED ORBITING USING 5° RIGHT RUDDER; AWAITING PERMISSION TO ENTER DANGER AREA. C/S 11.3 KTS. 0705 C/S 10.1 KTS. 0708 C/S 9.5 KTS. 0745 MUSTERED THE CREW ON STATIONS; ABSENTEES NONE.

W.G. Swan, ENS, USNR

APPROVED: C.C. Reed Lt. U.S.N. COMMANDING

EXAMINED: R.L. Walker LT/G U.S.N. NAVIGATOR